

Bibliography and taxa of calcareous nannoplankton - 40

Mário Cachão

Dept. Geologia, Fac. Ciencias, Univ. Lisboa, Edifício C6, 4º Piso, sala 55, 1749-016 Lisboa, Portugal

with Harald Andrleit, Karl-Heinz Baumann, Ric Jordan

- A6736 **Alvain, S., Moulin, C., Dandonneau, Y. & Bréon, F.M.** 2005 Atlantic N.
Remote sensing of phytoplankton groups in case 1 waters from global SeaWiFS imagery.
Biol.
Deep-Sea Research I, 52(11): 1989-2004.
Pacific Eq.
- A6737 **Álvarez, M.C., Flores, J.-A., Sierro, F.J., Díz, P., Francés, G., Pelejero, C. & Grimalt, J.** 2005 Atlantic N.
Millennial surface water dynamics in the Ría de Vigo during the last 3000 years as revealed by coc-
Molecular biomarkers
cololiths and molecular biomarkers.
Alkenones
Palaeogeography, Palaeoclimatology, Palaeoecology, 218(1-2): 1-13.
HOLOC.
- A6738 **Andruleit, H., Rogalla, U. & Stäger, S.** 2005 Arabian
Living coccolithophores recorded during the onset of upwelling conditions off Oman in the western
RECENT
Arabian Sea.
Ecol.
J. Nannoplankton Res., 27(1): 1-14.
- A6739 **Andruleit, H., Rogalla, U. & Stäger, S.** 2004 Indian
From living communities to fossil assemblages: origin and fate of coccolithophores in the northern
RECENT
Arabian Sea.
Ecol.
Micropaleontology, 50(1): 5-21.
- A6740 **Balch, W.M., Drapeau, D.T., Bowler, B.C., Booth, E.S., Goes, J.I., Ashe, A. & Frye, J.M.** 2004 Atlantic N.
A multi-year record of hydrographic and bio-optical properties in the Gulf of Maine: I. Spatial and
Ecol.
temporal variability .
Progress in Oceanography, 63(1-2): 57-98.
- A6741 **Balestra, B., Ziveri, P., Monechi, S. & Troelstra, S.** 2004 Atlantic N.
Coccolithophorids from the southeast Greenland Margin (northern North Atlantic): production, ecol-
RECENT
ogy and the surface sediment record.
Ecol.
Micropaleontology, 50(1): 23-34.
- A6742 **Baumann, K.-H.** 2004 Atlantic
Importance of coccolith size measurements for carbonate estimations.
RECENT
Micropaleontology, 50(1): 35-43.
Carb. flux
- A6743 **Baumann, K.-H., Andruleit, H., Böckel, B., Geisen, M. & Kinkel, H.** 2005 Review
The significance of extant coccolithophores as indicators of ocean water masses, surface water tem-
perature, and paleoproductivity: a review.
Paläontologische Zeitschrift, 79(1): 93-112.
- A6744 **Bendle, J., Rosell-Melé, A. & Ziveri, P.** 2005 Atlantic N.
Variability of unusual distributions of alkenones in the surface waters of the Nordic seas.
Alkenones
Paleoceanography, 20(2): 10.1029/2004PA001025.
RECENT
- A6745 **Bornemann, A., Pross, J., Reichelt, K., Herrle, J.O., Hemleben, C. & Mutterlose, J.** 2005 CRET.
Reconstruction of short-term palaeoceanographic changes during the formation of the Late Albian
P'ocean.
'Niveau Breistroffer' black shales (Oceanic Anoxic Event 1d, SE France).
Europe W.
Journal of the Geological Society, 162(4): 623-639.
- A6746 **Bown, P.** 2005 K/T
Selective calcareous nannoplankton survivorship at the Cretaceous-Tertiary boundary.
Survivorship
Geology, 33(8): 653-656.
Extinction
Selection
- A6747 **Bown, P.** 2005 PALAEOG.
Palaeogene calcareous nannofossils from the Kilwa and Lindi areas of coastal Tanzania (Tanzania 2005
Drilling Project 2003-04).
Diversity

- J. Nannoplankton Res., 27(1): 21-95. Syst.
- A6748 **Brussaard, C.P.D., Kuipers, B. & Veldhuis, M.J.W.** 2005 Biol.
A mesocosm study of *Phaeocystis globosa* population dynamics: I. Regulatory role of viruses in bloom control. Ecol.
Harmful Algae, 4(5): 859-874.
- A6749 **Brussaard, C.P.D., Mari, X., van Bleijswijk, J.D.L. & Veldhuis, M.J.W.** 2005 Biol.
A mesocosm study of *Phaeocystis globosa* population dynamics: II. Significance for the microbial community. Ecol.
Harmful Algae, 4(5): 875-893.
- A6750 **Cabeçadas, L. & Oliveira, A.P.** 2005 LIVING
Impact of a *Coccolithus braarudii* bloom on the carbonate system of Portuguese coastal waters. Atlantic N.
J. Nannoplankton Res., 27(2): 141-147. Ecol.
- A6751 **Cachão, M., Andruleit, H., Baumann, K.-H., Jordan, R. & Parente, A.** 2005 Bibliog.
Bibliography and taxa of calcareous nannoplankton – 39.
J. Nannoplankton Res., 27(1): 118-134.
- A6752 **Clemmensen, A. & Thomsen, E.** 2005 Europe N
Palaeoenvironmental changes across the Danian–Selandian boundary in the North Sea Basin. TERT.
Palaeogeography, Palaeoclimatology, Palaeoecology, 219(3-4): 351-394. P'env.
- A6753 **De Bernardi, B., Ziveri, P., Erba, E. & Thunell, R.C.** 2005 Ecol.
Coccolithophore export production during the 1997–1998 El Niño event in Santa Barbara Basin LIVING
(California) . Pacific N.
Marine Micropaleontology, 55(1-2): 107-125. El Niño
- A6754 **De Vargas, C. & Probert, I.** 2004 Molecular
New keys to the Past: Current and future DANN studies in coccolithophores. genetics
Micropaleontology, 50(1): 45-54. Overview
- A6755 **Dehnhardt, B.A. & Gonçalves, H.M.S.** 1993
Nanofósseis calcários do Testemunho 45, Cruzeiro 0775 da Série „Ara Islas Orcadas“, Banco
Maurice Ewing, Antártica. Sistemática e Diagênse Primária.
PESQUISAS, Int. Geociências UFRGS, Brasil, 20 (1): 33-47.
- A6756 **Dimiza, M.D., Triantaphyllou, M.V. & Theodoridis, S.** 2005 LIVING
Sphaerocalyptra dermitzakii and *Sphaerocalyptra youngii*, two new holococcolithophore species
from the Aegean Sea (eastern Mediterranean). Mediterr.
J. Nannoplankton Res., 27(2): 135-139.
- A6757 **Durand-Delga, M., Gardin, S., Esteras, M. & Paquet, H.** 2005 Strat.
Le domaine Tarquide (arc de Gibraltar, Espagne et Maroc): succession sédimentaire et événements
structuraux au Lias et au Dogger.
Comptes Rendus Geoscience, 337: 787-798.
- A6758 **Dutz, J., Klein Breteler, W.C.M. & Kramer, G.** 2005 Biol.
Inhibition of copepod feeding by exudates and transparent exopolymer particles (TEP) derived from
a *Phaeocystis globosa* dominated phytoplankton community. Ecol.
Harmful Algae, 4(5): 929-940.
- A6759 **Eltgroth, M.L., Watwood, R.L. & Wolfe, G.V.** 2005 Biol.
Production and cellular localization of neutral long-chain lipids in the haptophyte algae *Isochrysis galbana* and *Emiliania huxleyi*.
Journal of Phycology, 41(5): 1000-1009.
- A6760 **Flores, J.-A., Sierro, F.-J., Filippelli, G.M., Bárcena, M.Á., Perez-Folgado, M., Vázquez, A. & Utrilla, R.** 2005 NEOG.
Surface water dynamics and phytoplankton communities during deposition of cyclic late Messinian
sapropel sequences in the western Mediterranean. Mediterr.
Marine Micropaleontology, 56: 50–79. P'ocean.
P'ecol.

- A6761 **Frenz, M., Baumann, K.-H., Boeckel, B., Hoeppner, R. & Henrich, R.** 2005 Atlantic N.
Carbonates from the Mid-Atlantic Ridge: Quantification of foraminifer and coccolith carbonate in RECENT
the South Atlantic surface sediments by means of carbonate grain-size distributions. Cocc. carb.
Journal of Sedimentary Research, 75(3): 464-475.
- A6762 **Fresnel, J. & Probert, I.** 2005 LIVING
The ultrastructure and life cycle of the coastal coccolithophorid *Ochrosphaera neapolitana* Biol.
(Prymnesiophyceae). European Journal of Phycology, 40(1): 105-122.
- A6763 **Garibotti, I.A., Vernet, M. & Ferrario, M.** 2005 Antarctic
Annually recurrent phytoplanktonic assemblages during summer in the seasonal ice zone west of the Biol.
Antarctic Peninsula (Southern Ocean). Ecol.
Deep-Sea Research I, 52(10): 1823-1841.
- A6764 **Gibbs, S.J., Young, J.R., Bralower, T.J. & Shackleton, N.J.** 2005 Atlantic C.
Nannofossil evolutionary events in the mid-Pliocene: an assessment of the degree of synchrony in Biostrat.
the extinctions of *Reticulofenestra pseudoumbilicus* and *Sphenolithus abies*. Evolution
Palaeogeography, Palaeoclimatology, Palaeoecology, 217(1-2): 155-172. NEOG.
- A6765 **Guerreiro, C., Cachão, M. & Drago, T.** 2005 P'ecol.
Calcareous nannoplankton as a tracer of the marine influence on the NW coast of Portugal over the QUAT.
last 14 000 years. J. Nannoplankton Res., 27(2): 159-172.
- A6766 **Guptha, M.V.S., Mergulhao, L.P., Murty, V.S.N. & Shenoy, D.M.** 2005 Indian
Living coccolithophores during the northeast monsoon from the Equatorial Indian Ocean: LIVING
Implications on hydrography. Ecol.
Deep-Sea Research II, 52(14-15): 2048-2060.
- A6767 **Hagino, K., Okada, H. & Matsuoka, H.** 2005 RECENT
Coccolithophore assemblages and morphotypes of *Emiliania huxleyi* in the boundary zone between E. hux.
the cold Oyashio and warm Kuroshio currents off the coast of Japan. Biogeog.
Marine Micropaleontology, 55(1-2): 19-47. Pacific N.
- A6768 **Hagström, J.A. & Granéli, E.** 2005 Biol.
Removal of *Prymnesium parvum* (Haptophyceae) cells under different nutrient conditions by clay. Harmful Algae, 4(2): 249-260.
- A6769 **Harris, G.N., Scanlan, D.J. & Geider, R.J.** 2005 Biol.
Acclimation of *Emiliania huxleyi* (Prymnesiophyceae) to photon flux density. Journal of Phycology, 41(4): 851-862.
- A6770 **Houdan, A., Bonnard, A., Fresnel, J., Fouchard, S., Billard, C. & Probert, I.** 2004 LIVING
Toxicity of coastal coccolithophores (Prymnesiophyceae, Haptophyta). Biol.
Journal of Plankton Research, 26(8): 875-883.
- A6771 **Houdan, A., Véron, B., Claquin, P., Lefebvre, S., Poncet, J.-M.** 2005 LIVING
Cryopreservation of the coccolithophore, *Emiliania huxleyi* (Haptophyta, Prymnesiophyceae). Biol.
Journal of Applied Phycology, 17(5): 413-422.
- A6772 **Jacobsen, A. & Veldhuis, M.J.W.** 2005 Biol.
Growth characteristics of flagellated cells of *Phaeocystis pouchetii* revealed by diel changes in cellular DNA content. Harmful Algae, 4(5): 811-821.
- A6773 **Jordan, R.W., Cros, L. & Young, J.R.** 2004 Syst.
A revised classification scheme for living haptophytes. Micropaleontology, 50(1): 55-79.
- A6774 **Katz, M.E., Wright, J.D., Miller, K.G., Cramer, B.S., Fennel, K. & Falkowski, P.G.** 2005 P'ecol.
Biological overprint of the geological carbon cycle. Isot.

- Marine Geology, 217: 323-338. Evol.
- A6775 **Komuro, C., Narita, H., Imai, K., Nojiri, Y. & Jordan, R.W.** 2005 Ecol. Microplankton assemblages at Station KN0T in the subarctic western Pacific, 1999-2000. Deep-Sea Research II, 52(16-18): 2206-2217. LIVING Pacific N.
- A6776 **Koski, M., Dutz, J. & Klein Breteler, W.C.M.** 2005 Biol. Selective grazing of *Temora longicornis* in different stages of a *Phaeocystis globosa* bloom - a mesocosm study. Harmful Algae, 4(5): 915-927. Ecol.
- A6777 **Lambert, B. & Laporte-Galaa, C.** 2005 Asia E. *Discoaster* zonation of the Miocene of the Kutei Basin, East Kalimantan, Indonesia (Mahakam Delta Offshore). Carnets de Géologie/Notebooks on Geology, Brest, Memoir 2005/1 (CG2005_M01). NEOG. Strat.
- A6778 **Lamolda, M.A., Melinte, M.C. & Kaiho, K.** 2005 K/T Nannofloral extinction and survivorship across the K/T boundary at Caravaca, southeastern Spain. Palaeogeography, Palaeoclimatology, Palaeoecology, 224(1-3): 27-52. Survivorship Extinction
- A6779 **Lee, K.E. & Schneider, R.** 2005 Biol. Alkenone production in the upper 200m of the Pacific Ocean. Deep-Sea Research I, 52(3): 443-456. Pacific
- A6780 **Malinverno, E.** 2004 LIVING Morphological variability within the genus *Calciosolenia* (coccolithophorids) from the western Mediterranean Sea. Micropaleontology, 50(1): 81-91. Mediterr.
- A6781 **Mari, X., Rassoulzadegan, F., Brussaard, C.P.D. & Wassmann, P.** 2005 Biol. Dynamics of transparent exopolymeric particles (TEP) production by *Phaeocystis globosa* under N- or P-limitation: a controlling factor of the retention/export balance. Ecol. Harmful Algae, 4(5): 895-914.
- A6782 **McClmont, E.L., Rosell-Melé, A., Giraudeau, J., Pierre, C. & Lloyd, J.M.** 2005 PLEIST. Alkenone and coccolith records of the mid-Pleistocene in the south-east Atlantic: Implications for the U_k³⁷ index and South African climate. Quaternary Science Reviews, 24(14-15): 1559-1572. Alkenones Atlantic S.
- A6783 **Mehaghag, A.A. El & Ashahomi, K.A.** 2005 Strat. Calcareous nannofossil biostratigraphy of the Al Bayda Formation, Al Jabal Al Akhdar, NE Libya: a short note. J. Nannoplankton Res., 27(1): 15-19. CRET. U.
- A6784 **Meier, K.J.S., Hoell, C. & Willems, H.** 2004 Cultures Effect of temperature on culture growth and cyst production in the calcareous dinoflagellates *Calcidinellum albatrosianum*, *Leonella granifera* and *Pernambugia tuberosa*. Biol. Micropaleontology, 50(1): 93-106.
- A6785 **Merico, A., Tyrrell, T., Lessard, E.J., Oguz, T., Stabeno, P. J., Zeeman, S.I. & Whitledge, T.E.** 2004 LIVING Modelling phytoplankton succession on the Bering Sea shelf: role of climate influences and trophic interactions in generating *Emiliania huxleyi* blooms 1997–2000. Deep-Sea Research I, 51(12): 1803-1826. Pacific N.
- A6786 **Minoletti, F., de Rafelis, M., Renard, M., Gardin, S. & Young, J.R.** 2005 K/T Changes in the pelagic fine fraction carbonate sedimentation during the Cretaceous–Paleocene transition: contribution of the separation technique to the study of the Bidart section. Cocc. carb. Technique Palaeogeography, Palaeoclimatology, Palaeoecology, 216: 119– 137.
- A6787 **Mutterlose, J., Bornemann, A. & Herrle, J.O.** 2005 MESO. Mesozoic calcareous nannofossils – state of the art. Overview Paläontologische Zeitschrift, 79(1): 113-133.

- A6788 **Nakayama, T., Yoshida, M., Noël, M.-H., Kawachi, M. & Inouye, I.** 2005 Biol.
Ultrastructure and phylogenetic position of *Chrysoculter rhomboideus* gen. et sp. nov. (Prymnesiophyceae), a new flagellate haptophyte from Japanese coastal waters. *Phycologia*, 44(4): 369-383.
- A6789 **Onodera, J. & Takahashi, K.** 2005 Ecol.
Silicoflagellate fluxes and environmental variations in the northwestern North Pacific during December 1997-May 2000. *Deep-Sea Research I*, 52(2): 371-388.
- A6790 **Osawaa, M., Takahashi, K. & Hay, B.J.** 2005 Black Sea
Shell-bearing plankton fluxes in the central Black Sea, 1989-1991. *Deep-Sea Research I*, 52(9): 1677-1698.
- A6791 **Parente, A., Cachão, M., Baumann, K.-H., de Abreu, L. & Ferreira, J.** 2004 PLEIST.
Morphometry of *Coccolithus pelagicus* s.l. (Coccolithophore, Haptophyta) from offshore Portugal, during the last 200 kyr. *Micropaleontology*, 50(1): 107-120.
- A6792 **Prahl, F.G., Popp, B.N., Karl, D.M. & Sparrow, M.A.** 2005 Biol.
Ecology and biogeochemistry of alkenone production at Station ALOHA. *Deep-Sea Research I*, 52(5): 699-719.
- A6793 **Putland, J.N., Whitney, F.A. & Crawford, D.W.** 2004 LIVING
Survey of bottom-up controls of *Emiliania huxleyi* in the Northeast Subarctic Pacific. *Deep-Sea Research I*, 51(12): 1793-1802.
- A6794 **Quinn, P.S., Cortés, M. & Bollmann, J.** 2005 Biol.
Morphological variation in the deep ocean-dwelling coccolithophore *Florisphaera profunda* (Haptophyta). *European Journal of Phycology*, 40(1): 123-133.
- A6795 **Raffi, I., Backman, J. & Pälike, H.** 2005 TERT.
Changes in calcareous nannofossil assemblages across the Paleocene/Eocene transition from the paleo-equatorial Pacific Ocean. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 226(1-2): 93-126.
- A6796 **Rogalla, U. & Andruleit, H.** 2005 Arabian
Precessional forcing of coccolithophore assemblages in the northern Arabian Sea: Implications for monsoonal dynamics during the last 200,000 years. *Marine Geology*, 217(1-2): 31-48.
- A6797 **Ruardij, P., Veldhuis, M.J.W. & Brussaard, C.P.D.** 2005 Biol.
Modeling the bloom dynamics of the polymorphic phytoplankton *Phaeocystis globosa*: impact of grazers and viruses. *Harmful Algae*, 4(5): 941-963.
- A6798 **Sawada, K. & Shiraiwa, Y.** 2004 LIVING
Alkenone and alkenoic acid compositions of the membrane fractions of *Emiliania huxleyi*. *Phytochemistry*, 65(9): 1299-1307.
- A6799 **Saxena, R.K.** 2005 Abst.
Calcareous nannoplankton and its stratigraphic importance in Late Cretaceous-Danian sediments in Kutch offshore. *Proceedings 6th Int. Pet. Conf. & Exhibition, Petrotech 2005*, New Delhi: 1-4.
- A6800 **Scasso, R.A., Concheyro, A., Kiessling, W., Aberhan, M., Hecht, L., Medina, F. A. & Tagle, R.** 2005 Strat.
A tsunami deposit at the Cretaceous/Paleogene boundary in the Neuquén Basin of Argentina. *Cretaceous Research*, 26: 283-297.

- A6801 **Schroeder, D.C., Biggi, G.F., Hall, M., Davy, J., Martínez, J.M., Richardson, A.J., Malin, G. & Wilson, W.H.** 2005 LIVING Biol. Genetics
A genetic marker to separate *Emiliania huxleyi* (Prymnesiophyceae) morphotypes. Journal of Phycology, 41(4): 874-879.
- A6802 **Self-Trail, J.M. & Seefelt, E.L.** 2005 Diag. Atlantic Tech.
Rapid dissolution of calcareous nannofossils: a case study from freshly cored sediments of the south-eastern Atlantic Coastal Plain. J. Nannoplankton Res., 27(2): 149-157.
- A6803 **Sengco, M.R., Hagström, J.A., Granéli, E. & Anderson, D.M.** 2005 Biol.
Removal of *Prymnesium parvum* (Haptophyceae) and its toxins using clay minerals. Harmful Algae, 4(2): 261-274.
- A6804 **Sikes, E.L., O'Leary, T., Nodder, S.D. & Volkman, J.K.** 2005 Biol. Ecol. Pacific SW
Alkenone temperature records and biomarker flux at the subtropical front on the Chatham Rise, SW Pacific Ocean. Deep-Sea Research I, 52(5): 721-748.
- A6805 **Stanley, S.M., Ries, J.B. & Hardie, L.A.** 2005 CRET. Cocc. carb.
Seawater chemistry, coccolithophore population growth, and the origin of Cretaceous chalk. Geology, 33(7): 593-596.
- A6806 **Stoll, H.M.** 2005 TERT. Isot. P'ocean.
Limited range of interspecific vital effects in coccolith stable isotopic records during the Paleocene-Eocene thermal maximum. Paleoceanography, 20, PA1007, doi: 10.1029/2004PA001120.
- A6807 **Tremolada, F., Van de Schootbrugge, B. & Erba, E.** 2005 JURA. P'ecol. Cocc. carb.
Early Jurassic schizosphaerellid crisis in Cantabria, Spain: Implications for calcification rates and phytoplankton evolution across the Toarcian oceanic anoxic event. Paleoceanography, 20, PA2011, doi:10.1029/2004PA001120.
- A6808 **Triantaphyllou, M.V., Dimiza, P. & Dermitzakis, A.** 2004 LIVING Biol.
Syracospaera halldalii and *Calyptrolithina divergens* var. *tuberosa* life-cycle association and relevant taxonomic remarks. Micropaleontology, 50(1): 121-126.
- A6809 **Triantaphyllou, M.V., Ziveri, P. & Tselepides, M.D.** 2004 Mediterr. RECENT Ecol.
Coccolithophore export production and response to seasonal surface water variability in the oligotrophic Cretan Sea (NE Mediterranean). Micropaleontology, 50(1): 127-144.
- A6810 **Vasconcelos, M.T.S.D., López-Ruiz, J.L., Garcia, A., Leal, M.F.C. & Fachini, A.** 2004 Biol. Cultures
Effect of zeolites on cultures of the marine micro-algae *Emiliania huxleyi*. Aquacultural Engineering, 31(3-4): 205-219.
- A6811 **Veldhuis, M.J.W., Brussaard, C.P.D. & Noordeloos, A.A.M.** 2005 Biol.
Living in a *Phaeocystis* colony: a way to be a successful algal species. Harmful Algae, 4(5): 841-858.
- A6812 **Veldhuis, M.J.W. & Wassmann, P.** 2005 Biol. Ecol. Euro. seas
Bloom dynamics and biological control of a high biomass HAB species in European coastal waters: A *Phaeocystis* case study. Harmful Algae, 4(5): 805-809.
- A6813 **Villa, G., Palandri, S. & Wise, S.W.** 2005 QUAT. Antarctic P'ecol.
Quaternary calcareous nannofossils from Perianarctic basins: Paleoecological and paleoclimatic implications.. Marine Micropaleontology, 56(3-4): 103-121.
- A6814 **Wahlund, T.M., Zhang, X. & Read, B. A.** 2004 *E. hux.*
Expressed sequence tag profiles from calcifying and non-calcifying cultures of *Emiliania huxleyi*.

	Micropaleontology, 50(1): 145-155.		
A6815	Wassmann, P., Ratkova, T. & Reigstad, M. The contribution of single and colonial cells of <i>Phaeocystis pouchetii</i> to spring and summer blooms in the north-eastern North Atlantic. Harmful Algae, 4(5): 823-840.	2005	Atlantic N. Biol. Ecol.
A6816	Watkins, D.K., Cooper, M.J. & Wilson, P.A. Calcareous nannoplankton response to late Albian oceanic anoxic event 1d in the western North Atlantic. Paleoceanography, 20(2), 10.1029/2004PA001097.	2005	CRET. L. Atlantic N. P'ecol.
A6817	Watkins, D.K. & Self-Trail, J.M. Calcareous nannofossil evidence for the existence of the Gulf Stream during the late Maastrichtian. Paleoceanography, 20, PA3006, doi:10.1029/2004PA001121.	2005	CRET. U. Atlantic N. P'ocean.
A6818	Yang, T.-N., Wie, K.-Y., Chen, M.-P., Ji, S.-J., Gong, G.C., Lin, F.-J. & Lee, T.-Q. Summer and winter distribution and malformation of coccolithophores in the East China Sea. Micropaleontology, 50(1): 157-170.	2004	LIVING Pacific NW Ecol.
A6819	Young, J. Microfossils (2nd Edition) by H.A. Armstrong & M.D. Brasier (2004) - Review. J. Nannoplankton Res., 27(2): 173-176.	2005	Review
A6820	Zonneveld, K.A., Meier, K.J.S., Esper, O., Siggelko, D., Wendler, I. & Willems, H. The (palaeo-)environmental significance of modern calcareous dinoflagellate cysts: a review. Paläontologische Zeitschrift, 79(1): 61-77.	2005	Calc. dinocysts Review

Taxa - B199

<i>Biantholithus flosculosus</i> Bown, 2005, p.46-47	A6747
<i>Blackites atanii</i> (Varol, 1989) Bown, 2005, p.36	A6747
<i>Blackites bipartitus</i> Bown, 2005, p.36	A6747
<i>Blackites bullatus</i> Bown, 2005, p.35	A6747
<i>Blackites clavus</i> Bown, 2005, p.36	A6747
<i>Blackites deflandrei</i> (Perch-Nielsen, 1968) Bown, 2005, p.36	A6747
<i>Blackites dupuisii</i> (Steurbaut, 1990) Bown, 2005, p.37	A6747
<i>Blackites fusti</i> Bown, 2005, pp.35-36	A6747
<i>Blackites gamai</i> Bown, 2005, p.35	A6747
<i>Blackites globosus</i> Bown, 2005, p.35	A6747
<i>Blackites kilwaensis</i> Bown, 2005, p.38	A6747
<i>Blackites rotundus</i> Bown, 2005, p.35	A6747
<i>Blackites? stilos</i> Bown, 2005, p.38	A6747
<i>Blackites turritus</i> Bown, 2005, p.36	A6747
<i>Blackites virgatus</i> Bown, 2005, p.37	A6747
<i>Calcidiscus bicircus</i> Bown, 2005, p.29	A6747
<i>Calcidiscus? henrikseiae</i> Bown, 2005, p.29	A6747
<i>Calcidiscus? parvicrucis</i> Bown, 2005, p.29	A6747
<i>Calciosolenia aperta</i> (Hay & Mohler, 1967) Bown, 2005, p.34	A6747
<i>Campylospheara eroskayi</i> (Varol, 1989) Bown, 2005, p.28	A6747
<i>Chrysoculteraceae</i> Nakayama, Yoshida, Noël, Kawachi & Inouye, 2005, p.38	A6788
<i>Chrysoculter</i> Nakayama, Yoshida, Noël, Kawachi & Inouye, 2005, pp.372-373	A6788
<i>Chrysoculter rhomboideus</i> Nakayama, Yoshida, Noël, Kawachi & Inouye, 2005, pp.372-373	A6788
<i>Clathrolithus joidesa</i> (Bukry & Bramlette, 1968) Bown, 2005, p.42	A6747
<i>Coccilithus cachaui</i> Bown, 2005, p.26	A6747
<i>Coccilithus crucis</i> Bown, 2005, p.27	A6747
<i>Coccilithus foraminis</i> Bown, 2005, p.27	A6747
<i>Coccilithus latus</i> Bown, 2005, p.27	A6747
<i>Coccilithus minimus</i> Bown, 2005, p.27	A6747
<i>Coccilithus mutatus</i> (Perch-Nielsen, 1971) Bown, 2005, p.27	A6747
<i>Coccilithus pelagicus</i> ssp. <i>azurinus</i> Parente & Cachão in Parente <i>et al.</i> , 2004, pp.116-117	A6791

<i>Corannulus horridulus</i> Bown, 2005, p.39	A6747
<i>Coronocyclus bramlettei</i> (Hay & Towe, 1962) Bown, 2005, p.29	A6747
<i>Cruciplacolithus? cassus</i> Bown, 2005, p.28	A6747
<i>Discoaster acutus</i> Bown, 2005, p.44	A6747
<i>Ericsonia staerkeri</i> Bown, 2005, pp.27-28	A6747
<i>Florisphaera profunda</i> var. <i>rhinocera</i> Quinn, Cortés & Bollmann, 2005, p.126	A6794
<i>Helicosphaera clarissima</i> Bown, 2005, p.30	A6747
<i>Helicosphaera ethologa</i> Bown, 2005, p.31	A6747
<i>Holococcolithophora</i> Jordan, Cros & Young, 2004, p.60	A6773
<i>Holococcolithophora cialdii</i> (Borsetti & Cati, 1976) Jordan, Cros & Young, 2004, p.60	A6773
<i>Holococcolithophora dentata</i> (Kleijne, 1991) Jordan, Cros & Young, 2004, p.60	A6773
<i>Holococcolithophora galea</i> (Lecal-Schlauder, 1951) Jordan, Cros & Young, 2004, p.60	A6773
<i>Holococcolithophora heimdaliae</i> (Norris, 1985) Jordan, Cros & Young, 2004, p.60	A6773
<i>Holococcolithophora radiata</i> (Sym & Kawachi, 2000) Jordan, Cros & Young, 2004, p.60	A6773
<i>Holococcolithophora sphaeroidea</i> (Schiller, 1913) Jordan, Cros & Young, 2004, p.60	A6773
<i>Holodiscolithus geisenii</i> Bown, 2005, pp.38-39	A6747
<i>Holodiscolithus minolettii</i> Bown, 2005, p.39	A6747
<i>Holodiscolithus serus</i> Bown, 2005, p.38	A6747
<i>Lanternithus arcanus</i> Bown, 2005, p.39	A6747
<i>Lanternithus procerus</i> Bown, 2005, p.39	A6747
<i>Lanternithus simplex</i> Bown, 2005, pp.39-40	A6747
<i>Micrantholithus astrum</i> Bown, 2005, p.43	A6747
<i>Micrantholithus breviradiatus</i> Bown, 2005, pp.42-43	A6747
<i>Micrantholithus excelsus</i> Bown, 2005, p.43	A6747
<i>Neocrepidolithus grandiculus</i> Bown, 2005, p.30	A6747
<i>Neochiastozygus macilentus</i> Bown, 2005, p.34	A6747
<i>Neochiastozygus substrictus</i> Bown, 2005, pp.33-34	A6747
<i>Pontosphaera clinosulcata</i> Bown, 2005, p.32	A6747
<i>Pontosphaera perforomarginata</i> Bown, 2005, p.32	A6747
<i>Reticulofenestra wadeae</i> Bown, 2005, p.26	A6747
<i>Semihololithus dimidius</i> Bown, 2005, p.41	A6747
<i>Semihololithus kanungoi</i> Bown, 2005, p.41	A6747
<i>Semihololithus tentorium</i> Bown, 2005, p.41	A6747
<i>Sphaerocalyptra dermitzakii</i> Triantaphyllou, Dimiza & Theodoridis, 2005, p.136	A6808
<i>Sphaerocalyptra youngii</i> Triantaphyllou, Dimiza & Theodoridis, 2005, pp.136-137	A6808
<i>Sphenolithus acervus</i> Bown, 2005, p.45	A6747
<i>Sphenolithus cuniculus</i> Bown, 2005, p.46	A6747
<i>Sphenolithus villaee</i> Bown, 2005, p.46	A6747
<i>Staurolithites primaevus</i> Bown, 2005, p.30	A6747
<i>Syracosphaera? tanzanensis</i> Bown, 2005, p.34	A6747
<i>Umbilicosphaera? jordanii</i> Bown, 2005, p.29	A6747
<i>Varolia</i> Bown, 2005, p.40	A6747
<i>Varolia cistula</i> Bown, 2005, p.40	A6747
<i>Varolia gracilimura</i> Bown, 2005, p.40	A6747
<i>Youngilithus</i> Bown, 2005, p.40	A6747
<i>Youngilithus arcaeformis</i> Bown, 2005, p.40	A6747
<i>Youngilithus oblongatus</i> Bown, 2005, p.40	A6747
<i>Youngilithus quadraeformis</i> Bown, 2005, p.41	A6747
<i>Zygrhablithus bijugatus</i> ssp. <i>cornutus</i> Bown, 2005, p.41	A6747
<i>Zygodiscus sheldoniae</i> Bown, 2005, p.3	A6747