28 APR. 1980

INA NEWSLETTER

proceedings of the

INTERNATIONAL NANNOPLANKTON ASSOCIATION

volume 2 number 1 1980

Editorial Committee
S.E. van Heck
Dierenselaan 10
2573 KH Den Haag
The Netherlands

Secretary / Treasurer
A.J.T. Romein
Instituut voor Aardwetenschappen
Budapestlaan 4
Postbus 80.021
3508 TA UTRECHT - The Netherlands
Bank account:
55.53.90.101 Algemene Bank Nederland
Postal account (post giro): 4198913

+ + + + + + + + + + + +

CONTENTS

General information p.2-4
Bibliography and taxa of calcareous nannoplankton p.5-34
S.E. van Heck
Validation of Helicopontosphaera inversa (2) p.35
S. Gartner
Discoaster drieveri, nomen novum pro Discoaster bramlettei (Bukry & Percival 1971) Romein 1979 non Martini 1958 p.35
A.J.T. Romein
Short Notes p.36
Construction of the Paleontologic-Biostratigraphic Cretaceous File in the Federal Institute for Geosciences and Natural Resources, Hannover p.37-39
P. Čepek, K. Kühne, R. Wolfart, M. Zíka

Appendix: list of members

N O T E !!!!

NEW BOTANICAL CODE

In 1978 a new edition of the International Code of Botanical Nomenclature has been issued. Several of the rules have been changed. See page 4 for further information.

+ +

SALES OFFICE

Separate numbers of the INA Newsletter can be obtained from the Secretary/Treasurer. Price per issue is:
- for non-members Dfl. 20,-
- for members Dfl. 10,-

+ +

MEMBERSHIP

Applications for membership of the International Nannoplankton Association should be directed to the Secretary/Treasurer. Annual dues: Dfl. 20,-

+ +

NEXT ISSUE

Contributions for the next issue of the INA Newsletter should be received before September 1980. Please send your contributions to: The Editorial Committee of the INA Newsletter, c/o S.E. van Heck (address: front page).

+ +

COPY RIGHT

All parts of the INA Newsletter are allowed to be reproduced for scientific purposes. The source and authors should be clearly mentioned in case of non-private use.

INTRODUCTION OF NEW TAXA AND VALIDATIONS IN THE NEWSLETTER

As of February 29 we have received 32 answers to our questionnaire in INA Newsletter vol.1(2), with the following results:

the introduction of	new taxa	validations	in the INA Newsletter
in favour:	16	27	
against :	15	5	
neutral :	1		

Thus most of those answering are in favour to have validations published in the Newsletter, and we will continue to do so. The publication of new taxa received about equal opposition and support. Several opponents stated the lack of plates to be their reason for opposing the publishing of new species in the Newsletter. The lack of plates in the Newsletter so far is due to the fact that none were submitted by the authors ..... who will have to pay for the appropriate reproduction or submit the necessary number of copies of their plate(s) themselves (number to be asked from the editor).

We realize that the presently relatively modest circulation of the Newsletter (the INA had 125 members on 1.1.1980) will make it difficult in the distant future to refer back to the original description of a taxon described in the INA Newsletter. To get around this problem A. Farinacci, Rome, agreed to include the species described in the Newsletter in the next volume of her CATALOGUE, if the authors send her their original plate(s) immediately, or authorize the INA editor to do so.

CONCLUSION: we will publish validations and new taxa, provided illustrations of new species are satisfactory.

KPN

+ + + +

NEW BOTANICAL CODE

Very few people are probably aware of the fact that the International Code of Botanical Nomenclature is revised every few years. The changes that are made, have been adopted by the International Botanical Congress, after which a new code is issued by the International Association of Plant Taxonomists (IAPT). The issue of 1978 differs in several points from the previous issue, and anybody seriously trying to apply the rules correctly will need this new code.

The full reference is:

Stafleu,F.A., Voss,E.G. et al., editors. International Code of Botanical Nomenclature as adopted by the XIIth International Botanical Congress, Leningrad 1975. Utrecht, Netherlands 1978. Regnum vegetabile vol.97, published by Bohn, Scheltema and Holkema, viii, 457 pp.(ISBN 90-313-0332-1)

Orders should be sent to the publishers: Bohn, Scheltema and Holkema, P.O.Box 23, 7400GA Deventer, Netherlands. Price Dfl. 70,- (US$ 33,50)

+ +

CONGRESSES

7th European Congress on electron microscopy including the
9th International Conference on X-ray optics and microanalysis (ICXOM)
August 24th - 29th The Hague

Congress Secretariat:
Seventh European Congress on Electron Microscopy
c/o Netherlands Congress Centre
P.O.Box 82000
2508EA The Hague
The Netherlands.

+ + + + + + + + + + + + +

International Symposium on "Concept and Method in Paleontology"
Barcelona, May, 1981

Organized by the Facultat de Geologia,
Universitat de Barcelona
(Departament de Paleontologia)
Barcelona
Spain

If you know of any coming congress that might be interesting to your colleagues, please inform them by sending the data to the editor.

BIBLIOGRAPHY AND TAXA OF CALCAREOUS NANNOPLANKTON

Compiled by Shirley E. van Heck

The sections 'Bibliography and taxa ...' and 'Taxonomical Notes' have been joined, because after all, both deal with the same subject. Also the title 'Taxonomical Notes' has been replaced by 'Comments', because the notes were mainly nomenclatural and had little to do with taxonomy. Under 'Comments' all sorts of remarks concerning nomenclature, bibliography and taxonomy can be found.

Both the references and the taxa have been placed in alphabethical order this time. This is not a promise for the future, but a try out. Whether or not it will be continued will depend mainly on the amount of time I have available. Behind the list of taxa you will find a separate list on which the species have been placed in alphabethical order, followed by the genus names under which they can be found. Accordingly, the taxa are only listed once, which of course saves space.

The taxa which are in agreement with the ICBN are normally underlined, whereas the taxa that are in conflict with the Code are indicated with a broken line. All taxa or references to which comments are made in the section 'Comments' are marked with a *C in the last column.

Because wrong terminations unfortunately occur rather regularly, these are not commented on. They are included in the corrected version, as required by Art.32.4 of the ICBN. A wrong termination has no consequences for the validity of a taxon. In the section 'Comments' some of the most frequently occurring mistakes will be mentioned.

Two more codes are added:

Medit.Area. for publications concerning the whole Mediterranean Area, instead of listing the individual areas separately.

REVIEW for publications which are merely reviews of other publications.

In the previous issues several mistakes have been made. The most serious is that the validations in the first issue (A27-7 and A27-8) are invalid according to the new rules of the ICBN, which I did not know of at that time (for detailes see 'Comments'). This was pointed out to me by people of the International Bureau for Plant Taxonomy and Nomenclature in Utrecht. They have also otherwise advised me on nomenclatural problems, for which I am most grateful.

Two new combinations were introduced in the plate explanations of the publication by Perch-Nielsen et al., 1978 (A25-8). These were overlooked, but are included now, with the appropriate code.

The other errata:

A5-8: replace vol.2(3) by vol.23
B9, Quadrum gartneri: add type species of Quadrum
B12, Prediscosphaera quadripunctata: add p.109
A15-9: replace pp.497-300 by pp.497-500
A18-9: add pp.79-107, 37 figs., 4 tbs.

With this issue of the INA Newsletter the references of 1976, 1977 and 1978 should be more or less complete. Should you know of publications that have not been included, please send me the reference, or better still, a copy or reprint.

A29

1	ANGELIER,J., BREBION,P., LAURIAT-RAGE,A. & MÜLLER,C. 1979 Late Cenozoic biostratigraphy and neotectonic evolution of Crete. -VIIth Int. Congr. Medit. Neogene, Athens 1979, Ann. Géol. Pays Hellén., tome hors série, vol.1, pp.9-17, 2 figs.	strat. TERT.U. Europe.E.
2	BACKMAN,J. 1978 Late Miocene - Early Pliocene nannofossil biochronology and biogeography in the Vera Basin, SE Spain. -Acta Univ. Stockh. / Stockh. Contr. Geol., vol.32(2), pp.93-114, + 2 pls., 5 figs., 2 tbs.	strat.syst. TERT.U. Europe.W. Atlantic.N. Mediterr. ECOL.
3	BALDI,T. 1979 Changes of Mediterranean (?Indopacific) and Boreal influences on Hungarian marine molluscfaunas since Kiscellian until Eggenburgian times; the stage Kiscellian. -VIIth Int. Congr. Medit. Neogene, Athens 1979, Ann. Géol. Pays Hellén., tome hors série, vol.1, pp.39-49, 3 figs.	strat. TERT. Europe.E.
4	BALDI-BEKE,M. & NAGYMAROSY,A. 1979 On the position of the Ottnangian and Karpatian regional stages in the Tertiary nannoplankton zonation. -VIIth Int. Congr. Medit. Neogene, Athens 1979, Ann. Géol. Pays Hellén., tome hors série, vol.1, pp.51-59, 2 figs.	strat.syst. TERT.U. Europe.E.
5	BALDSCHUHN,R. 1979 Stratigraphie und Verbreitung des Dan (Tertiär) in Nordwestdeutschland. -Z. dt. geol. Ges., vol.130(1), pp.201-209, 3 figs.	strat. TERT.L. Europe.W.
6	BARBIERI,F., IACCARINO,S. & ROSSI,U. 1976 Paleoecology of the Pliocene in the sites 62 and 63 D.S.D.P. (Leg 7 - Equatorial Western Pacific). -Univ. Studi Parma, Ist. Geol., 21+9 pp., 6 figs.	strat. TERT.U;QUAT. Pacific.C. ECOL.
7	BARBIERI,F., MORLOTTI,E., PALMIERI,C. et al. 1976 Biostratigraphy of the Izarôrene section in the Melilla Basin (NE Morocco). -Univ. Studi Parma, Ist. Geol., 21+10 pp, +3 pls., 4 figs., 2 tbs.	strat.(syst) TERT.U. Africa.N. Europe.W.
8	BARRIER,J. 1977 Study of the coccoliths and Nannoconus from the Taraises-Cupido shelf margin, Northern Mexico. -Texas Univ., Bur. Econ. Geol. Rep. Invest. no.89, pp.295-298, 3 pls., 3 tbs.	strat.syst. CRET.L. America.C. ECOL.
9	BARRIER,E., MÜLLER,C. & ANGELIER,J. 1979 Sur l'importance du Quaternaire ancien marin dans l'île de Karpathos (arc hellénique, Grèce) et ses implications tectoniques. -C.R. somm. Soc. Géol. Fr., 1979(4), pp.198-201, 2 figs.	strat. QUAT. Europe.E.

A30

1	BARRON,J.A. 1976 Revised Miocene and Pliocene diatom biostratigraphy of Upper Newport Bay, Newport Beach, California. -Mar. Micropal., vol.1, pp.27-63, 3 pls., 7 figs., 5 tbs.	(strat) TERT.U. America.N.
2	BENDA,L. & MEULENKAMP,J.E. 1979 Biostratigraphic correlations in the eastern Mediterranean Neogene. 5.Calibration of sporomorph associations, marine microfossil and mammal zones, marine and continental stages and the radiometric scale. -VIIth Int. Congr. Medit. Neogene, Athens 1979, Ann. Géol. Pays Hellén., tome hors série, vol.1, pp.61-70, 1 tb.	strat. TERT. Asia.SW. Europe.E.
3	BIZON,G. & MÜLLER,C. 1977 Remarks on some biostratigraphic problems in the Mediterranean Neogene. -In: Biju-Duval,B. & Montadert,L.: Int. Symp. Struct. Hist. Mediterr. Basins. Split (Yugoslavia), 25-29 Oct. 1976. Ed. Technip, Paris. pp.381-390, 6 figs.	strat. TERT.U;QUAT. Medit.Area. ECOL.
4	BIZON,G. & MÜLLER,C. 1979 Remarks on the Oligocene/Miocene boundary based on results obtained from the Pacific and the Indian Ocean. -VIIth Int. Congr. Medit. Neogene, Athens 1979, Ann. Géol. Pays Hellén., tome hors série, vol.1, pp.101-111, 2 figs.	strat. TERT. Atlantic.N. Indian.O. Pacific.C.
5	BIZON,G. & MÜLLER,C. 1979 Report of the working group on micropaleontology. -VIIth Int. Congr. Medit. Neogene, Athens 1979, Ann. Géol. Pays Hellén., tome hors série, vol.3, pp.1335-1364, 1 tb.	strat. TERT.U. Medit.Area
6	BIZON,G., MÜLLER,C. & VERGNAUD GRAZZINI,C. 1979 Paleoenvironmental conditions during the deposition of Late Miocene diatomaceous sediments in Morocco and Cyprus. -VIIth Int. Congr. Medit. Neogene, Athens 1979, Ann. Géol. Pays Hellén., tome hors série, vol.1, pp.113-128, 3 figs., 2 tbs.	strat. TERT.U. Asia.SW. Africa.N. ECOL.
7	BLACKWELDER,P.L., WEISS,R.E. & WILBUR,K.M. 1976 Effects of calcium, strontium, and magnesium on the coccolithophorid Cricosphaera (Hymenomonas) carterae. I. Calcification. -Mar. Biol., vol.34, pp.11-16, 3 figs., 2 tbs.	RECENT BIOL.
8	BLANC-VERNET,L., CHAMLEY,H. & ROBERT,C. 1979 Mineraux argileux et foraminifères dans le Pleistocène Inférieur de l'Ile de Zante (Grèce occidentale). -VIIth Int. Congr. Medit. Neogene, Athens 1979, Ann. Géol. Pays Hellén., tome hors série, vol.1, pp.129-138, 2 figs.	strat. QUAT. Europe.E.
9	BLANKLEY,W.F. & LEWIN,R.A. 1976 Temperature responses of a coccolithophorid, Cricosphaera carterae, measured in a simple and inexpensive thermal - gradient device. -Limnol. Oceanogr., vol.21(3), pp.457-462, 3 figs., 1 tb.	RECENT BIOL.

A31

1	BLASIO,I.de, LIMA,A., PERRONE,V. & RUSSO,M. 1978 Studio petrografico e biostratigrafico di una sezione della formazione del Saraceno nell' area tipo (Calabria nord-orientale). -Riv. Ital. Paleont., vol.84(4), pp.947-972, 10 figs., 2 tbs.	strat. TERT.L. Europe.W.
2	BOLLI,H.M. & SAUNDERS,J.B. 1977 Introduction to stratigraphy and paleontology. -In: Heirtzler,J.R., Bolli,H.M. et al.: Indian Ocean geology and biostratigraphy (book). Amer. Geophys. Union, pp.311-324, 5 figs.	strat. JURA.U;CRET. TERT.QUAT. Indian Oc. ECOL.
3	BOWDLER,J.L. & ROTH,P.H. 1979 Mid-Cretaceous calcareous nannoplankton paleobiogeography and paleo-oceanography of Atlantic Ocean. -Ann. Mtg. AAPG-SEPM abstr., AAPG Bull., vol.63(3), p.423.	abstr. CRET.L.M. Atlantic. ECOL.DIAG.
4	BROMLEY,R.G. 1979 Chalk and bryozoan limestone: facies, sediments, and depositional environment. -In: Birkelund,T. & Bromley,R.G.: Cretaceous/Tertiary boundary events -symposium. I.The Maastrichtian and Danian of Denmark. pp.16-32, 6 figs.	(syst) CRET.TERT. boundary Europe.W. SEDIM.
5	BUKRY,D. 1976 Coccolith stratigraphy of Manihiki Plateau, Central Pacific, Deep Sea Drilling Project, Site 317. -In: Schlanger,S.O., Jackson,E.D. et al.: Init. Rep. DSDP, vol.33, pp.493-501, 1 pl., 5 figs.	strat.syst. CRET.TERT. QUAT. Pacific.C.
6	BUKRY,D. 1976 Silicoflagellate and coccolith stratigraphy, southeastern Pacific Ocean, Deep Sea Drilling Project Leg 34. -In: Yeats,R.S., Hart,S.R. et al.: Init. Rep. DSDP, vol.34, pp.715-735, 4 pls., 7 figs.	strat. TERT.QUAT. Pacific.C.
7	BUSER,S. & PAVŠIČ,J. 1976 Paleocene flysh beneath the Nanos (Western part of Slovenia) (NW of Yugoslavia). -Bull. Scient., sect.A, vol.21(10-12), pp.198-200, 1 fig.	strat. TERT.L. Europe.E.
8	BUSER,S. & PAVŠIČ,J. 1978 Spodnjekredni nanoplankton med Sevnico in Brestanico. (Lower Cretaceous nannoplankton between Sevnica and Brestanica). -Rudarsko - Metalurški Zbornik 1978(2-3), pp.199-205, 1 pl. 2 figs. (In Yugoslav, English summary).	strat(syst) CRET.M. Europe.E.
9	BUSER,S., PAVŠIČ,J. & RADOIČIČ,R. 1979 Spodnjekredne plasti v Bohinju.(Lower Cretaceous beds in Bohinj). -Rudarsko-Metalurški Zbornik vol.26(4), pp.385-393, 1 pl. 2 figs. (In Yugoslav, English summary).	strat(syst) CRET.L. Europe.E.

A32

1	BYSTRICKA,H. 1976 Calcareous nannoplankton of the Marthasterites tribrachiatus Zone from the Lower Eocene sediments of Slovakia. -Geol. Zbornik -Geol. Carpat., vol.27(2), pp.273-298, 11 pl.	strat.syst. TERT.L. Europe.E.
2	BYSTRICKA,H. 1976 Kalk-Nannoplankton der Heliolithus riedeli Biofazialzone in den Westkarpaten. -Acta Geol. Geogr. Univ. Comenianae; Geologica nr.30, pp.51-66 +pls.23-32.	strat.syst. TERT.L. Europe.E.
3	BYSTRICKA,H. 1979 Rupelian in the Banska Bystrica Basin. -Geol. Zbornik -Geol. Carpat., vol.30(1), pp.109-122, 8 pls., 1 fig.	strat.(syst) TERT.L. Europe.E.
4	CAVELIER,C. & POMEROL.,C. 1976 Les rapports entre le Bartonien et le Priabonien. Incidence sur la position de la limite Éocène moyen - Éocène supérieur. -C.R. somm. Soc. Géol. Fr., 1976(2), pp.49-51, 1 tb.	strat. TERT.L. Europe.W.
5	ČEPEK,P. & MOORKENS,T. 1979 Cretaceous/Tertiary boundary and Maastrichtian - Danian biostratigraphy (coccoliths and foraminifera) in the Maastrichtian type area. -In: Christensen,W.K. & Birkelund,T.: Cretaceous/Tertiary boundary events -symposium. II.Proceedings. pp.137-142.	strat. CRET.TERT. boundary Europe.W. ECOL.
6	CHERCHI,A., MARINI,A., MURRU,M. & ROBBA,E. 1978 Stratigrafia e paleoecologia del Miocene Superiore della Peninsola del Sinis (Sardegna occidentale). -Riv. Ital. Paleont., vol.84(4), pp.973-1036, pls.91-94, 10 figs.	strat. TERT.U. Europe.W.
7	CHI,W.R. 1979 A biostratigraphic study of the Late Neogene sediments in the Kaohsiung area based on calcareous nannofossils. -Proc. Geol. Soc. China, no.22, pp.121-144, 2 pls., 9 figs.	strat.(syst) TERT.U;QUAT. Asia.E.
8	CICHA,I. 1979 Report on the working group of the Paratethys CMNS. -VIIth Int. Congr. Medit. Neogene, Athens 1979, Ann. Géol. Pays Hellén., tome hors série, vol.3, pp.1411-1423.	strat. TERT.U. Europe. Russia.
9	CIESIELSKI,P.F. & WISE,S.W. 1977 Geologic history of the Maurice Ewing Bank of the Falkland Plateau (SW Atlantic sector of the Southern Ocean) based on piston and drill cores. -Mar. Geol., vol.25, pp.175-207, 9 figs., 2 tbs.	strat. CRET.TERT. Atlantic.S. ECOL.
10	CIMERMAN,F. & PAVŠIČ,J. 1979 Excursion S, Bled - Middle Oligocene. -16th Eur. Micropal. Coll., Ljubljana, pp.255-258, 1 fig.	strat. TERT.L. Europe.E.

A33

1	CITA,M.B., SESTINI,N.F., SALVATORINI,G. et al. 1979 Late Neogene sediments and fossils from the Malta escarpment and their geodynamic significance. -VIIth Int. Congr. Medit. Neogene, Athens 1979, Ann. Géol. Pays Hellén., tome hors série, vol.1, pp.273-283, 3 figs., 1 tb.	strat. TERT.U. Europe.W.
2	COLALONGO,M.L., DI GRANDE,A., D'ONOFRIO,S. et al. 1979 A proposal for the Tortonian/Messinian boundary. -VIIth Int. Congr. Medit. Neogene, Athens 1979, Ann. Géol., Pays Hellén., tome hors série, vol.1, pp.285-294.	strat. TERT.U. Europe.W.
3	CONLEY,S.M. 1979 Recent coccolithophores from the Great Barrier Reef - Coral Sea region. -Micropal., vol.25(1), pp.20-43, 6 pls., 6 figs.	syst. QUAT. Pacific.CS. ECOL.
4	COUVERING,J.A.van, BERGGREN,W.A., DRAKE,R.E. et al. 1976 The terminal Miocene event. -Mar. Micropal., vol.1, pp.263-286, 4 figs.	strat. TERT.U. Mediterr. Pacific.S. Europe.W.
5	DATTA,A.K. & SINGH,P. 1976 Nannoplankton from the Late Early Pliocene subsurface formation of the Bombay offshore region. -Proc. VI Indian Coll. Micropal. Strat., pp.40-52, 3 pls., 3 figs.	strat.syst. TERT.U. Indian.Oc. Asia.E.
6	DONNELLY,T., FRANCHETEAU,J., BRYAN,W. et al. 1980 Site reports. -In: Donnelly,T., Francheteau,J. et al., Init. Rep. DSDP vols.51,52,53, pt.1 (1979), pp.23-626.	strat. CRET.M. TERT.U;QUAT. Atlantic.C.
7	DROOGER,C.W., MEULENKAMP,J.E., SCHMIDT,R.R. et al. 1976 The Paleogene - Neogene boundary. -Proc. Kon. Ned. Akad. Wetensch. A'dam, ser.B, vol.79(5), pp.317-329.	strat. TERT. Europe.W.
8	DUDLEY,W.C. & GOODNEY,D.E. 1979 Oxygen isotope content of coccoliths grown in culture. -Deep-Sea Res., vol.26A(5), pp.495-503, 3 figs.	RECENT BIOL.
9	EDWARDS,A.R. 1977 Calcareous nannofossils from the Ohara Graben and Mt Miroroa. -Appendix to: Beu,A.G. et al., Nukumaruan records of the Subantarctic scallop Chlamys delicatula and crab Jacquinotia edwardsii in central Hawke's Bay; N.Z. J. Geol. Geophys., vol.20(2), pp.246-248, 2 tbs.	strat. TERT.QUAT. Australasia. ECOL.
10	ELLIS,H. 1979 Neogene nannoplankton zonation in Eastern Mediterranean. -VIIth Int. Congr. Medit. Neogene, Athens 1979, Ann. Géol. Pays Hellén., tome hors série, vol.1, pp.391-401, 3 figs., 1 tb.	strat.syst TERT.U;QUAT. Mediterr. Europe.W.

A34

1	ELLIS,C.H. & LOHMAN,W.H. 1979 Neogene calcareous nannoplankton biostratigraphy in eastern Mediterranean. -Ann. Mtg. AAPG-SEPM, abstr., AAPG Bull., vol.63(3), pp.443-444.	abstr. strat. TERT.U;QUAT. Mediterr. ECOL.
2	EMERY,K.O. & HONJO,S. 1979 Surface suspended matter off western Africa: relations of organic matter, skeletal debris and detrital minerals. -Sedimentology, vol.26, pp.775-794.	RECENT Atlantic SEDIM.
3	FEAZEL,C.T., KEANY,J. & PETERSON,R.M. 1979 Generation and occlusion of porosity in chalk reservoirs. -Ann. Mtg. AAPG-SEPM, Abstr., AAPG Bull., vol.63(3), pp.448-449.	abstr. DIAG.
4	FLORIS,S. 1979 Guide to Fakse Limestone Quarry. -In: Birkelund,T. & Bromley,R.G.: Cretaceous/Tertiary boundary events -symposium. I.The Maastrichtian and Danian of Denmark. pp.152-163, 11 figs.	strat. CRET.TERT. boundary Europe.W.
5	FONSECA,B. 1978 Notes sur la géologie et la paléontologie du Miocène de Lisbonne. -Ciências da Terra, vol.3 (1977), pp.61-99, 9 pls., 4 figs., 1 tb.	strat.syst. TERT.U. Europe.W.
6	FOURNIÉ,D. 1978 Nomenclature lithostratigraphique des séries du Crétacé Supérieur au Tertiaire de Tunisie. -Bull. Cent. Rech. Explor.-Prod. Elf-Aquitaine, vol.2(1), pp.97-148, 18 figs.	strat. TERT.L. Africa.N.
7	GAARDER,K.R. & HEIMDAL,B.R. 1977 A revision of the genus Syracosphaera LOHMANN (Coccolithineae). -'Meteor' Forsch.-Ergebn. Ser.D, no.24, pp.54-71, 8 pls.	syst. RECENT Oceans
8	GAEMERS,P.A.M. 1978 Biostratigraphy, palaeoecology and palaeogeography of the mainly marine Ager Formation (Late Paleocene - Early Eocene) in the Tremp Basin, South-Central Pyrenees, Spain. -Leidse Geol. Meded., vol.51(2), pp.151-231, 8 pls., 13 figs., 2 tbs., 6 Encl.	strat. TERT.L. Europe.W.
9	GARTNER,S. 1979 Terminal Cretaceous extinctions: a comprehensive mechanism. -In: Christensen,W.K. & Birkelund,T.: Cretaceous/Tertiary boundary events. -symposium. II.Proceedings. pp.26-28.	CRET.U. TERT.L. ECOL.
10	GARTNER,S., CHEN,M.P. & STANTON,R.J. 1979 Late Neogene history in the American Mediterranean. -VIIth Int. Congr. Medit. Neogene, Athens 1979, Ann. Géol. Pays Hellén., tome hors série, vol.1, pp.425-437, 3 figs.	strat. TERT.U. America.N. ECOL.

A35

1	GARTNER,S. & KEANY,J. 1979 The coccolith succession across the Cretaceous/Tertiary boundary in the subsurface of the North Sea (Ekofisk). -In: Christensen,W.K. & Birkelund,T.: Cretaceous/Tertiary boundary events. -symposium. II.Proceedings. pp.103-105, 1 tb.	strat. CRET.TERT. boundary Europe.W. ECOL.
2	GASPARIKOVA,V. 1977 Nannoflore calcaire du Crétacé Supérier des Karpates occidentales par rapport aux zones de foraminifères. -Act. VI Coll. Afr. Micropal., Tunis 1974; Ann. des Mines et de la Géol., no.28, vol.1, pp.445-463, 8 pls., 1 fig.	strat.(syst) CRET.U. Europe.E.
3	GASPARIKOVA,V. 1977 Le nannoplancton calcaire et la biostratigraphie du Crétacé Supérieur de la région du Pont du Fahs (Tunisie). -Act. VI Coll. Afr. Micropal., Tunis 1974; Ann. des Mines et de la Géol., no.28, vol.I, pp.465-479, 6 pls.	strat(syst) CRET.MU. Africa.N.
4	GASPARIKOVA,V. & SALAJ,J. 1979 Cretaceous/Paleogene boundary events in the West Carpathians of Slovakia. -In: Christensen,W.K. & Birkelund,T.: Cretaceous/Tertiary boundary events. -symposium. II.Proceedings. pp.177-178.	strat. CRET.U. TERT.L. Europe.E.
5	GEITZENAUER,K.R., ROCHE,M.B. & McINTYRE,A. 1976 Modern Pacific coccolith assemblages: derivation and application to Late Pleistocene paleotemperature analysis. -Geol. Soc. Amer., Memoir 145, pp.423-448.	QUAT. Pacific. ECOL.
6	GOODNEY,D.E., MARGOLIS,S.V., DUDLEY,W.C. et al. 1980 Oxygen and carbon isotopes of recent calcareous nannofossils as paleoceanographic indicators. -Mar. Micropal., vol.5(1), pp.31-42, 8 figs., 2 tbs.	QUAT. Oceans ECOL.
7	GUPTHA,M.V.S. 1976 Calcareous nannofossils from sediments of the continental slope off Bombay (India). -Riv. Ital. Paleont., vol.82(2), pp.417-430, 1 pl., 1 fig.	strat.syst. QUAT. Asia.E.
8	GUPTHA,M.V.S. 1979 Coccoliths from sediments of the Gulf of Kutch. -Ind. J. Mar. Sci., vol.8, pp.85-88, 3 figs.	QUAT. Asia.E. SEDIM.
9	HAGN,H., PAVLOVEC,R. & PAVŠIČ,J. 1979 Excursion G, Gračišće near Picán, Istria - Eocene. -16th. Eur. Micropal. Coll., Ljubljana 1979, pp.185-189, 2 figs.	strat. TERT.L. Europe.E.
10	HÅKANSON,E. & HANSEN,J.M. 1979 Guide to Maastrichtian and Danian boundary strata in Jylland. -In: Birkelund,T. & Bromley,R.G.: The Cretaceous/Tertiary boundary events. -symposium. I.The Maastrichtian and Danian of Denmark. pp.171-188, 13 figs.	strat. CRET.TERT. boundary Europe.W.

A36

1 HAQ,U.B., OKADA,H. & LOHMANN,G.P. 1979 strat(syst)
Paleobiogeography of the Paleocene/Eocene calcareous nannoplankton from the North Atlantic Ocean. TERT.L. Atlantic.N. ECOL.
-In: Tucholke,B.E., Vogt,P.R. et al., Init. Rep. DSDP, vol.43, pp.617-629, 2 pls., 12 figs., 3 tbs.

2 HARADA,K. & NISHIDA,S. 1976 strat(syst)
Biostratigraphy of some marine manganese nodules. QUAT. Pacific.C.
-Nature, vol.260, pp.770-771, 1 fig.

3 HECK,S.E.van 1979 BIBL.
Bibliography and taxa of calcareous nannoplankton. syst.
-INA Newsl. vol.1(2), p.AB VI, A13-28, B28-42.

4 HECK,S.E.van 1979 syst.
Taxonomical notes.
-INA Newsl., vol.1(2), pp.C3, C4.

5 HEIMANN,K.O., JUST,J. & MÜLLER,C. 1979 strat.
Sedimentological and palecological aspects of Messinian strata on the Ionian Islands (Greece). TERT.U. Europe.E. ECOL.
-VIIth Int. Congr. Medit. Neogene, Athens 1979, Ann. Géol. Pays Hellén. tome hors série, vol.2, pp.501-514, 3 figs.

6 HEMLEBEN,C. 1977 JURA.U.
Autochthone und allochthone Sedimentanteile in der Solnhofener Plattenkalken. SEDIM.
-N. Jb. Geol. Paläont., Mh,5, pp.257-271, 9 figs.

7 HORVATH,M. & NAGYMAROSY,A. 1979 strat.
On the boundaries of Oligocene/Miocene and Egerian/Eggenburgian in Hungary. TERT. Europe.E.
-VIIth Int. Congr. Medit. Neogene, Athens 1979, Ann. Géol. Pays Hellén., tome hors série, vol.2, pp.543-552, 3 figs.

8 HUANG,T.C. 1976 strat(syst)
Neogene calcareous nannoplankton biostratigraphy viewed from the Chuhuangkeng section, northwestern Taiwan. TERT.U. Asia.E.
-Proc. Geol. Soc. China, no.19, pp.7-24, 1 pl., 2 figs., 3 tbs.

9 HUANG,T.C. & TING,J.S. 1979 strat.syst.
Calcareous nannofossil succession from the Oligo-Miocene Peikangchi Section and revised stratigraphic correlation between northern and central Taiwan. TERT. Asia.E.
-Proc. Geol. Soc. China, no.22, pp.105-120, 2 pls., 3 figs., 2 tbs.

10 IRWIN,H., TYSON,R.V. et al. 1979 JURA.U.
On an environmental model for the type Kimmeridge Clay : a discussion. CRET.L. Europe.W. SEDIM.
-Nature vol.279, pp.819,820.

A37

1	KEUPP,H. 1977 Strukturveränderung im eozänen Fischschiefer von Monte Bolca (Oberitalien) durch rezente, endolithische Organismen. -Natur u. Mensch, 1977, Jahresmitt., pp.33-41, 17 figs.	(syst) TERT.L. Europe.W. DIAG.
2	LAHONDERE,J.C., FEINBERG,H. & HAQ,B.U. 1979 Datations des grès numidiens d'Algérie orientale: conséquences structurales. -C.R. Acad. Sc. Paris, vol.289, ser.D, pp.383-386, 3 figs.	strat. TERT. Africa.N.
3	LARSON,R.L. 1977 Deep Sea Drilling results related to the paleomagnetic and paleontologic stratigraphy at Gubbio. -Mem. Soc. Geol. It., vol.15 (1976), pp.61-68, 3 figs.	strat. CRET.U. TERT.L. Oceans.
4	LECLAIRE,L., CLOCCHIATTI,M., MÜLLER,C. et al. 1976 Lacunes de sédimentation, séries condensées et nodules de manganèse dans les dépôts néogènes et quaternaires des bassins de l'Océan Indien austral. -Bull. Soc. Géol. Fr., ser.7, vol.18(3), pp.725-746, 17 fig.	strat. TERT.U;QUAT. Indian Oc.
5	LEZAUD,L. 1977 Nannofossiles. -In: Alvinerie,J. et al.: Stratotype et parastratotype de l'Aquitanien., Les stratotypes Français, vol.4, p.93.	strat. TERT.U. Europe.W.
6	LOGVINENKO,N.V., LAZURKIN,V.M. et al. 1978 Krasnyye glubokovodnyye gliny severnoy chasti Tikhogo okeana. (Red deep-water clays of the northern part of the Pacific Ocean.) -AN SSSR Izvestiya, ser. geol., 1978(6), pp.117-127, 5 figs., 3 tbs. -English translation: Int. Geol. Rev., vol.21(10) (1979), pp.1149-1158.	strat(syst) TERT. Pacific.CN.
7	MARGOLIS,S.V., KROOPNICK,P.M. & GOODNEY,D.E. 1977 Cenozoic and Late Mesozoic paleoceanographic and paleoglacial history recorded in circumantarctic deep-sea sediments. -Mar. Geol., vol.25, pp.131-147, 5 figs.	strat. CRET.U;TERT. QUAT. Indian Oc. Pacific.S. ECOL.
8	MARKS,P. 1977 Micropaleontology and the Cenomanian - Turonian boundary problem. -Proc. Kon. Ned. Akad. Wetensch., ser.B, vol.80, pp.1-6, 1 tb.	strat. CRET.M. Europe.W.
9	MARSHALL,H.G. 1976 Phytoplankton distribution along the eastern coast of the USA. I.Phytoplankton composition. -Mar. Biol., vol.38, pp.81-89, 2 tbs.	RECENT. ECOL. Atlantic.N.

A38

1 MÉSZÁROS,M. & IANOLIU,C. 1977 strat.
Az Erdélyi-medence paleogén üledékeinek nannoplanktonja. TERT.L.
(Nannoplankton of the Paleogene sediments of the Europe.E.
Transylvanian Basin.)
-Földt. Közl., Bull. Hung. Geol. Soc., vol.107(1),
pp.90-96, 1 fig. (incl. English summary).

2 MEULENKAMP,J.E., DRIEVER,B.W.M. et al. 1979 strat.
An empirical approach to paleoenvironmental analysis. TERT.U.
2.Changes in water-mass properties and the distribution Europe.E.
of some Pliocene index species. ECOL.
-VIIth Int. Congr. Medit. Neogene, Athens 1979, Ann. Géol.
Pays Hellén., tome hors série, vol.2, pp.817-830.

3 MITREVSKI,G. & PAVŠIČ,J. 1976 strat(syst)
Zgornja kreda nad Savo pri Zagorju. (Late Cretaceous beds CRET.U.
at Sava near Zagorje). Europe.E.
-Geol. -Razprave in poročila, vol.19, pp.45-51, 2 pls.,
2 figs. (English abstract).

4 MOSHKOVITZ,S. 1979 strat.syst.
On the distribution of Schizosphaerella punctulata JURA.L.U.
DEFLANDRE & DANGEARD and Schizosphaerella astraea n.sp. Europe.W.
in the Liassic section of Stowell Park Borehole (Glouces-
tershire) and in some other Jurassic localities in England.
-Eclogae Geol. Helv., vol.72(2), pp.455-465, 2 pls., 2 tbs.

5 MOSHKOVITZ,S. & EHRLICH,A. 1976 strat.syst.
Distribution of Middle and Upper Jurassic calcareous JURA.M.U.
nannofossils in the northeastern Negev, Israel and in Asia.SW.
Gebel Maghara, northern Sinai. TECH.
-Geol. Surv. Israel, Bull. no.69, pp.1-47, 8 pls.

6 MÜLLER,C. 1976 strat(syst)
Etude du nannoplankton. TERT.L.
-In: Doebl,F., Müller,C. et al.: Les marnes á foraminifères Europe.W.
et les schistes á poissons de Bremmelbach (Bas-Rhin).
Etudes sédimentologiques et micropaléontologiques.
Reconstitution du milieu au début du Rupélien dans le
Fossé Rhénan. -Sci. Géol. Bull., vol.29(4), pp.297-300,
1 pl., 1 fig.

7 MÜLLER,C. 1977 strat.
Distribution of calcareous nannoplankton in Oligocene to TERT.QUAT.
Holocene sediments of the Red Sea and the Indian Ocean, Indian Oc.
reflecting paleoenvironment. ECOL.
-In: Heirtzler,J.R., Bolli,H.M. et al.: Indian Ocean
geology and biostratigraphy. (book).-Amer. Geophys. Union,
pp.371-397, 2 figs., 5 tbs.

8 MÜLLER,C., KUSTER,H., SPIEGLER,D. & DANIELS,C.H.v. 1979 strat.
Nachweis von Nannoplankton-Zonen und ihre Korrelation mit TERT.
lokalen Stufen im Neogen NW-Deutschlands. Europe.W.
-Newsl. Strat., vol.8(2), pp.153-158, 3 figs.

A39

1	NAIDIN,D.P. 1979 The Cretaceous/Tertiary boundary in the USSR. -In: Christensen,W.K. & Birkelund,T.: Cretaceous/Tertiary boundary events. -symposium. II.Proceedings. pp.188-201, 4 figs., 2 tbs.	strat. CRET.TERT. boundary Russia
2	NAKAGAWA,H. 1977 Magnetostratigraphy of the Pliocene - Pleistocene boundary. -Neogene - Quaternary boundary Proc. II Symp. Bologna, 1975. -Giorn. Geol., vol.49, pt.1-2, pp.315-329, 3 figs.	strat. TERT.U;QUAT. worldwide
3	NARASIMHAN,T. 1976 Recent trends in the study of calcareous nannoplankton. -Proc. VI Indian Coll. Micropal. Strat., pp.151-153.	OVERVIEW
4	NISHIDA,S. 1977 Late Cenozoic calcareous nannoplankton biostratigraphy in the southern Kwanto region, Japan. -Bull. Nara Univ. Educ., vol.26(2), pp.19-38, 8 figs., 4 tbs. (In Japanese, English abstract).	strat. TERT.U;QUAT. Asia.E.
5	NISHIDA,S. 1978 Late Cenozoic calcareous nannoplankton biostratigraphy in Sagara and Kakegawa districts, central Japan. -Bull. Nara Univ. Educ., vol.27(2), pp.85-97, 7 figs., 1 tb. (In Japanese, English abstract).	strat. TERT.U;QUAT. Asia.E.
6	NISHIDA,S. 1979 Atlas of Pacific nannoplanktons. -News of Osaka Micropaleontologists, Spec. Pap. no.3, pp.1-31, +23 pls., 17 figs., 2 tbs.	(syst) QUAT.RECENT. Pacific ECOL.
7	NISHIMURA,A., KONDA,I., MATSUOKA,K. et al. 1977 Microfossils of the core sample GDP-11-15 from the Amami Plateau, the northern margin of the Philippine Sea. -Mem. Fac. Sci., Kyoto Univ., Ser. Geol. Mineral., vol.43(1/2), pp.111-130, pls.3-6, 3 figs., 4 tbs.	strat. TERT.U;QUAT. Pacific.N.
8	NOEL,D. & MANIVIT,H. 1979 Calcareous nannoplankton in Upper Aptian and Albian black shales from South Atlantic (DSDP Legs 36,40) -sedimentologic implications. -Ann. Mtg. AAPG - SEPM, abstr., AAPG Bull., vol.63(3), p.503.	abstr. CRET.M. Atlantic.S. ECOL.SEDIM.
9	OKADA,H. & THIERSTEIN,H.R. 1979 Calcareous nannoplankton -Leg 43, Deep Sea Drilling Project. -In: Tucholke,B.E., Vogt,P.R. et al., Init. Rep. DSDP, vol.43, pp.507-573, 19 pls., 6 tbs., 1 fig.	strat.syst. CRET.TERT. QUAT. Atlantic.N.
10	PANT,S.C. & MISRA,R.S. 1976 Discoasters from Wilson Island, Ritchie's Archipelago, Andaman. -Proc. VI Indian Coll. Micropal. Strat., pp.206-212, 1 pl., 1 fig.	strat.syst. TERT.U. Asia.E.

A40

1 PARAMONOVA,N.P., ANANOVA,E.N. et al. 1979 strat.
Palaeontological characteristics of the Sarmatian s.l. and Maeotian of the Ponto-Caspian area and possibilities of correlation to the Sarmatian s.str. and Pannonian of the Central Paratethys. TERT.U. Russia.
-VIIth Int. Congr. Medit. Neogene, Athens 1979, Ann. Géol. Pays Hellén., tome hors série, vol.2, pp.961-971, 2 tbs.

2 PAVŠIČ,J. 1976 strat.
Zgornjekredne in Paleocenske foraminifere ter nanoplankton Slovenije. (The Late Cretaceous and Paleocene foraminifers and nannoplankton in Slovenia). CRET.U. TERT.L. Europe.E.
-8th Yugosl. Geol. Congr., vol.2, pp.249-262, 1 fig., 2 tbs. (English summary).

3 PAVŠIČ,J. 1979 strat.
Excursion O, Lijak near Nova Gorica - Maastrichtian/Eocene. CRET.U;TERT.L. Europe.E.
-16th Eur. Micropal. Coll. Ljubljana, pp.237-242, 2 figs.

4 PERCH-NIELSEN,K. 1979 strat.syst.
Calcareous nannofossil zonation at the Cretaceous/Tertiary boundary in Denmark. CRET.TERT. boundary. Europe.W.
-In: Birkelund,T. & Bromley,R.G.: Cretaceous/Tertiary boundary events. -symposium. I.The Maastrichtian and Danian of Denmark. pp.115-135, 4 pls., 2 figs., 1 tb.

5 PERCH-NIELSEN,K. 1979 strat.
Distribution of calcareous nannofossils. CRET.TERT. boundary Europe.W.
-Appendix to: Holland,B. & Gabrielson,J.: Guide to Linhamn Quarry. -In: Birkelund,T. & Bromley,R.G., Cretaceous / Tertiary boundary events. -symposium. I.The Maastrichtian and Danian of Denmark, p.151.

6 PERCH-NIELSEN,K. 1979 strat.
Calcareous nannofossils in Cretaceous/Tertiary boundary sections in Denmark. CRET.TERT. boundary Europe.W.
-In: Christensen,W.K. & Birkelund,T.: Cretaceous/Tertiary boundary events. -symposium. II.Proceedings. pp.120-126, 2 figs.

7 PERCH-NIELSEN,K. 1979 strat.
Calcareous nannofossils at the Cretaceous/Tertiary boundary near Biarritz, France. CRET.TERT. boundary Europe.W.
-In: Christensen,W.K. & Birkelund,T.: Cretaceous/Tertiary boundary events. -symposium. II.Proceedings. pp.151-155, 3 figs.

8 PERCH-NIELSEN,K. 1979 strat.
Calcareous nannofossils at the Cretaceous/Tertiary boundary in Tunisia. CRET.TERT. boundary Africa.N.
-In: Christensen,W.K. & Birkelund,T.: Cretaceous/Tertiary boundary events. -symposium. II.Proceedings. pp.238-243, 2 figs.

A41

1	PERCH-NIELSEN,K. & PAVŠIČ,J. 1979 Calcareous nannofossils from the Cretaceous/Tertiary boundary in Slovenia. -In: Christensen,W.K. & Birkelund,T.: Cretaceous/Tertiary boundary events, -symposium. II.Proceedings. pp.179-184, 2 figs.	strat. CRET.TERT. boundary Europe.E.
2	PERCH-NIELSEN,K., ULLEBERG,K. & EVENSEN,J.E. 1979 Comments on 'The terminal Cretaceous event: a geologic problem with an oceanographic solution' (Gartner & Keany, 1978). -In: Christensen,W.K. & Birkelund,T.: Cretaceous/Tertiary boundary events. -symposium. II.Proceedings. pp.106-111, 1 pl., 1 fig.	strat. CRET.TERT. boundary Europe.W. SEDIM.
3	PERCONIG,E. 1979 Tortonian - Andalusian boundary: some observations relevant to the regional committee of Mediterranean Neogene stratigraphy recommendations (Bratislava 1975). -VIIth Int. Congr. Medit. Neogene, Athens 1979, Ann. Géol. Pays Hellén., tome hors série, vol.2, pp.973-982, 1 fig.	strat. TERT.U. Europe.W.
4	POORE,R.Z. 1979 Temporal and spatial distribution of ice-rafted mineral grains in Pliocene sediments of North Atlantic. -Ann. Mtg. AAPG-SEPM, abstr., AAPG Bull., vol.63(3), p.510.	abstr. strat. TERT.U. Atlantic.N.
5	POORE,R.Z. & BUKRY,D. 1979 Preliminary report on Eocene calcareous plankton from the eastern Gulf of Alaska continental slope. -Geol. Surv. Circ. 804B, pp.141-143.	strat. TERT.L. America.N. ECOL.
6	PROTO-DECIMA,F. 1977 Paleocene to Eocene calcareous nannoplankton of the Indian Ocean. -In: Heirtzler,J.R., Bolli,H.M. et al.: Indian Ocean geology and biostratigraphy.(book) Amer. Geophys. Union, pp.353-369, 6 figs., 2 tbs.	strat. TERT.L. Indian.Oc. ECOL.
7	PUJOS-LAMY,A. 1977 Essai d'établissement d'une biostratigraphie du nanno-plancton calcaire dans le Pleistocène de l'Atlantique Nord-oriental. -Boreas, vol.6, pp.323-331, 4 figs.	strat.syst. QUAT. Atlantic.N.
8	RADE,J. 1976 Biostratigraphic zonation based on calcareous nanno-plankton in P.N.G. - N.E. Australia. -Oil & Gas, vol.22(4), pp.18-20, 1 fig., 1 tb.	strat. TERT. Australasia ECOL.
9	RADE,J. 1979 Cretaceous biostratigraphic zonation based on calcareous nannoplankton in Middle East and offshore Australia. -Exogram and Oil & Gas, vol.25(4), pp.19-21, 2 figs., 2 tbs.	strat. CRET. Asia.SW. Pacific.S. Indian.Oc.

A42

1 RAFLE,M.A. 1978 abstr.
Paleobiogeography of Paleocene through Early Eocene calcareous nannoplankton assemblages from the Pacific Ocean. TERT.L. Pacific. ECOL.
-Diss. Abstr. Int., sect.B, vol.38(7), p.3103-B.

2 RIO,D., MAZZEI,R. & PALMIERI,G. 1978 strat(syst)
The stratigraphic position of the Mediterranean Upper Miocene evaporites, based on nannofossils. TERT.U. Mediterr.
-Mem. Soc. Geol. Ital., vol.16 (1976), pp.261-276, 6 figs.

3 RÖGL,F., HOCHULI,P. & MÜLLER,C. 1979 strat.
Oligocene - Early Miocene stratigraphic correlations in the molasse basin of Austria. TERT. Europe.W.
-VIIth Int. Congr. Medit. Neogene, Athens 1979, Ann. Géol. Pays Hellén., tome hors série, vol.3, pp.1045-1049, 1 fig.

4 ROMEIN,A.J.T. 1979 strat.
Calcareous nannofossils from the Cretaceous/Tertiary boundary interval in the Nahal Avdat section, the Negev, Israel. CRET.TERT. boundary Asia.SW.
-In: Christensen,W.K. & Birkelund,T.: Cretaceous/Tertiary boundary events. -symposium. II.Proceedings. pp.202-206, 1 fig.

5 ROMEIN,A.J.T. 1979 strat.syst.
Lineages in Early Paleogene calcareous nannoplankton. CRET.U;TERT.L. Europe.W. Asia.SW. TECH.
-Utrecht Micropal. Bull., vol.22, 231 pp., 10 pls., 77 figs.

6 ROTH,P.H. & BOWDLER,J.L. 1979 strat.syst.
Evolution of the calcareous nannofossil genus Micula in the Late Cretaceous. CRET.M.U.
-Micropal., vol.25(3), pp.272-280, 2 pls., 4 figs.

7 ROUCHY,J.M. 1976 (syst)
Mise en évidence de nannoplancton calcaire dans certains types de gypse finement lité (balatino) du Miocène terminal de Sicile et conséquences sur la genèse des évaporites méditerranéennes de cet âge. TERT.U. Europe.W.
-C.R. Acad. Sc. Paris, vol.282, ser.D, pp.13-15, 1 pl.

8 ROUCHY,J.M. 1979 strat(syst)
La sedimentation evaporitique Messinienne sur les marges Méditerranéennes. TERT. Medit.Area.
-VIIth Int. Congr. Medit. Neogene, Athens 1979, Ann. Géol. Pays Hellén., tome hors série, vol.3, pp.1051-1060, 6 figs.

9 SAMTLEBEN,C. 1979 syst
Pliocene - Pleistocene coccolith assemblages from the Sierra Leone Rise, Site 366, Leg 41: some corrections. TERT.U;QUAT. Atlantic.C.
-INA Newsl., vol.1(2), p.N9

A43

1 SCHLICH,R., MÜLLER,C. & SIGAL,J. 1979 — strat. CRET.U. Indian.Oc.
Le Maestrichtien du site 239 (D.S.D.P.Océan Indien) dans son cadre régional et son incidence sur l'échelle chronologique des inversions du champs magnétique terrestre.
-Bull. Soc. Géol. France, vol.21(1), pp.57-63, 2 figs.

2 SCHMIDT,R.R. 1979 — TERT.U. Europe. TECH.count. ECOL.
The calcareous nannofossils of the Potamidha section.
-In: Drooger,C.W., Meulenkamp,J.E. et al.: Problems of detailed biostratigraphic and magnetostratigraphic correlation in the Potamidha and Apostoli sections of the Cretan Neogene. -Utrecht Micropal. Bull., vol.21, pp.167-191, 7 figs.

3 SCHMIDT,R.R., THEODORIDIS,S. & DRIEVER,B.W.M. 1979 — TECH.count.
Counting techniques applied to calcareous nannoplankton for the question of accuracy in correlation.
-VIIth Int. Congr. Medit. Neogene, Athens 1979, Ann. Géol. Pays Hellén., tome hors série, vol.3, pp.1097-1100.

4 SCHRADER,H.J., BJØRKLUND,K., MANUM,S. et al. 1976 — strat. TERT.QUAT. Atlantic.N.
Cenozoic biostratigraphy, physical stratigraphy and paleooceanography in the Norwegian - Greenland Sea, DSDP Leg 38 paleontological synthesis.
-In: Talwani,M., Udintsev,G. et al., Init. Rep. DSDP, vol.38, pp.1197-1211, 17 figs.

5 SEIFERT,P. & STRADNER,H. 1978 — strat. CRET.U;TERT.L. Europe.W.
Bericht über das Paleozän der Waschbergzone (NÖ).
-Verh. Geol. B.-A. 1978(2), pp.129-141, 1 pl., 3 figs.

6 SELLI,R. 1977 — strat. TERT.U;QUAT. Europe.W.
Excursion guide book
-Proc. 2nd symp. Neogène - Quaternary boundary, Bologna 1975. -Giorn. Geol., vol.49, pt.1-2, pp.423-458, 14 figs.

7 SELLI,R., ACCORSI,C.A., BANDINI MAZZANTI,M. et al. 1977 — strat. TERT.U;QUAT. Europe.W.
The Vrica section (Calabria, Italy). A potential Neogene/Quaternary boundary stratotype.
-Giorn. Geol., vol.42(2), fasc.1, pp.181-204, 1 pl., 9 figs., 2 tbs.

8 SEMENENKO,V.N. 1979 — strat. TERT. Medit.Area.
Correlation of Mio- Pliocene of the Eastern Paratethys and Tethys.
-VIIth Int. Congr. Medit. Neogene, Athens 1979, Ann. Géol. Pays Hellén., tome hors série, vol.3, pp.1101-1111, 2 figs.

9 SHAFIK,S. 1979 — syst. CRET.U. Australasia
Validation of Chiastozygus fessus and Reinhardtites biperforatus.
-INA Newsl., vol.1(2), p.C5.

A44

1	SHUMENKO,S.L. 1976 Izvestkov'ii nanoplankton mezozoja evropeiskoi chasti SSSR. (Mesozoic calcareous nannoplankton of the European part of the USSR). -publ. Nauka (book), 140 pp., 30 pls., 11 figs., 1 tb. (in Russian)		strat.syst. CRET.RECENT Russia BIOL.
2	SHUMENKO,S.I. & KAPLAN,M.E. 1978 Nachodka kokkolitov v otlozenijach niznego Triasa Sibiri. (The finding of coccoliths in Lower Triassic sediments in Siberia). -Dokl. Akad. Nauk. SSSR, vol.240(6), pp.1438-1440, 2 figs. (in Russian.)		strat(syst) PREJURA. Russia
3	SIESSER,W.G. 1977 Chemical composition of calcareous nannofossils. -S. Afr. J. Sci., vol.73, pp.283-285, 4 figs.		(syst) TERT.QUAT. Atlantic.CS. BIOL.ECOL.
4	SIESSER,W.G. 1979 Oligocene - Miocene calcareous nannofossils from the Torquay Basin, Victoria, Australia. -Alcheringa, vol.3, pp.159-170, 5 figs., 3 tbs.		strat.syst. TERT. Australasia ECOL.
5	SIESSER,W.G. & SALMON,D. 1979 Eocene marine sediments in the Sperrgebiet, South West Africa. -Ann. S. Afr. Mus., vol.79(2), pp.9-34, 15 figs.		strat(syst) TERT.L. Africa.
6	SINGH,P. 1977 Late Jurassic nannoplankton from the Jurassic sequence in the subsurface of the Banni Rann, Kutch. -J. Paleont. Soc. India, vol.20, (1975) pp.331-332, 1 pl.		strat.syst. JURA.U. Asia.E.
7	SINGH,P., RASTOGI,K.K. & VIMAL,K.P. 1978 Late Eocene calcareous nannoplankton from Tarkeshwar, Surat-Broach area, Gujarat. -J. Paleont. Soc. India, vols.21 & 22 (1976,1977), pp.1-12, 5 pls., 8 figs.		strat.syst. TERT.L. Asia.E. ECOL.
8	SINGH,P. & VIMAL,K.P. 1976 Origin and geology of Neill Island, South Andaman, India. -J. Paleont. Soc. India, vol.19 (1974), pp.28-36, 1 pl., 6 figs.		strat. TERT.U. Asia.E.
9	STRADNER,H. 1978 Bericht über Nannofossilien aus dem Paleozän von Michelstetten (Waschbergzone), N.Ö. -Verh. Geol. B.-A., 1978(2), pp.143-146, 1 pl.		strat(syst) TERT.L. Europe.W.
10	STUIJVENBERG,J.van 1979 Geology of the Gurnigel area (Prealps, Switzerland). -Mat. Carte Géol. Suisse, Nouv. Série, nr.151., 111 pp., 5 pls., 67 figs., 2 tbs.		strat(syst) CRET.U. TERT.L. Europe.W.

A45

1	STUIJVENBERG,J.van, MOREL,R. & JAN DU CHÊNE,R. Contribution à l'étude du flysch de la région des Fayaux (Préalpes externes vaudoises). -Eclogae Geol. Helv., vol.69(2), pp.309-326, 9 figs.	1976	strat. CRET.U. TERT.L. Europe.W.
2	STUIJVENBERG,J.van, WINKLER,W. & PERCH-NIELSEN,K. The Cretaceous/Tertiary boundary in the Gurnigel and the Schlieren flysch (Swiss Alps). -In: Christensen,W.K. & Birkelund,T.: Cretaceous/Tertiary boundary events. -symposium. II.Proceedings. pp.170-176, 2 figs.	1979	strat. CRET.TERT. boundary Europe.W.
3	SURLYK,F. Guide to Stevns Klint. -In: Birkelund,T. & Bromley,R.G.: Cretaceous/Tertiary boundary events. -symposium. I.The Maastrichtian and Danian of Denmark. pp.164-170, 4 figs.	1979	strat. CRET.TERT. boundary Europe.W.
4	SURLYK,F. & BIRKELUND,T. An integrated stratigraphical study of fossil assemblages from the Maastrichtian White Chalk of northwestern Europe. -In: Kauffman,E.G. & Hazel,J.E.: Concepts and methods of biostratigraphy. (book) ed. Dowden, Hutchingson & Ross, pp.257-281, 13 figs.	1977	strat. CRET.U. Europe.W.
5	TAPPAN,H. Protistan evolution and extinction at the Cretaceous/ Tertiary boundary. -In: Christensen,W.K. & Birkelund,T.: Cretaceous/Tertiary boundary events. -symposium. II.Proceedings. pp.13-21, 4 figs.	1979	strat. JURA.M.U. CRET.TERT. QUAT. ECOL.
6	THIERSTEIN,H.R. Mesozoic calcareous nannofossils from the Indian Ocean, DSDP Legs 22 to 27. -In: Heirtzler,J.R., Bolli,H.M., et al.: Indian Ocean geology and biostratigraphy (book). Amer. Geophys. Union, pp.339-351, 2 figs., 2 tbs.	1977	strat. JURA.U;CRET. Indian Oc. ECOL.
7	THIERSTEIN,H.R. The terminal Cretaceous event. -In: Christensen,W.K. & Birkelund,T.: Cretaceous/Tertiary boundary events. -symposium. II.Proceedings. pp.22-25.	1979	strat. CRET.U. TERT.L. ECOL.DIAG.
8	THIERSTEIN,H.R. & BERGER,W.H. Injection events in ocean history. -Nature vol.276, pp.461-466, 2 figs.	1978	CRET.M.U. TERT. ECOL.
9	THIERSTEIN,H.R. & OKADA,H. The Cretaceous/Tertiary boundary event in the North Atlantic. -In: Tucholke,B.E., Vogt,P.R. et al., Init. Rep. DSDP, vol.43, pp.601-616, 11 figs., 4 tbs.	1979	strat. CRET.U. TERT.L. Atlantic.N.

A46

1	TOWE,K.M. Variation and systematics in calcareous nannofossils of the genus Sphenolithus. -Amer. Zool., vol.19, pp.555-572, 8 figs., 2 tbs.	1979	syst.MORPH. TERT.L. Europe.W. Atlantic.
2	TUCHOLKE,B.E. & VOGT,P.R. Western north Atlantic: sedimentary evolution and aspects of tectonic history. -In: Tucholke,B.E., Vogt,P.R. et al., Init. Rep. DSDP, vol.43, pp.791-825, 14 figs., 3 tbs.	1979	strat. CRET.U. TERT.L. Atlantic.N. ECOL.SEDIM.
3	TUCHOLKE,B.E., VOGT,P.R. et al. Introduction and explanatory notes, Leg 43 Deep Sea Drilling Project. -In: Tucholke,B.E., Vogt,P.R. et al., Init. Rep. DSDP, vol.43, pp.5-27, 9 figs.	1979	(strat) TERT.QUAT. Atlantic.N.
4	TUCHOLKE,B.E., VOGT,P.R. et al. Site reports. -In: Tucholke,B.E., Vogt,P.R. et al., Init. Rep. DSDP vol.43, pp.31-391.	1979	strat. CRET.TERT. QUAT. Atlantic.N.
5	TYSON,R.V., WILSON,R.C.L. & DOWNIE,C. A stratified water column environmental model for the type Kimmeridge Clay. -Nature vol.277, pp.377-380, 2 figs.	1979	JURA Europe.W. SEDIM.
6	VERBEEK,J.W. Upper Cretaceous calcareous nannoplankton from Ballon and Théligny, in the type area of the Cenomanian stage (Sarthe, France). -Proc. Kon. Ned. Akad. Wetensch. A'dam, ser.B, vol.79(1), pp.69-82, 2 pls., 2 figs.	1976	strat.syst. CRET.M. Europe.W.
7	VERBEEK,J.W. Upper Cretaceous calcareous nannoplankton zonation in a composite section near El Kef, Tunisia. -Proc. Kon. Ned. Akad. Wetensch. A'dam, ser.B, vol.79(2), pp.129-148, 3 pls., 2 figs.	1976	strat.syst. CRET.M.U. Africa.N.
8	VERBEEK,J.W. Preliminary report on the distribution of the Lower Oligocene in the Netherlands. -Geol. Mijnb., vol.58(3), pp.375-376, 1 fig.	1979	strat. TERT.L. Europe.W.
9	VISMARA SCHILLING,A., STRADNER,H. et al. Stratigraphic investigations on the Late Neogene of Corfou (Greece), with special reference to the Miocene/ Pliocene boundary and to its geodynamic significance. -Mem. Soc. It. vol.16 (1976), pp.279-317, 24 figs., 10 tbs.	1978	strat.(syst) TERT.U. Europe.E.

A47

1	WEIDMANN,N., MOREL,R. & STUIJVENBERG,J.van 1976 La nappe du Gurnigel entre la Baye de Clarens et la Veveyse de Châtel. -Bull. Soc. Frib. Sc. Nat., vol.65(3), pp.182-196, 6 figs.	strat. CRET.U. TERT.L. Europe.W.
2	WEISS,R.E., BLACKWELDER,P.L. & WILBUR,K.M. 1976 Effects of calcium, strontium, and magnesium on the coccolithophorid Cricosphaera (Hymenomonas) carterae. II. Cell division. -Mar. Biol., vol.34, pp.17-22, 6 figs., 1 tb.	RECENT. BIOL.
3	WIND,F.H. & WISE,S.W. 1976 Jurassic to Holocene calcareous nannofossils from the Falkland (Malvinas) Plateau. -Antarc. J. U.S. vol.11(3), pp.169-171, 1 pl.	strat(syst) JURA.CRET. TERT.QUAT. Atlantic.S.
4	WIND,F.H. & WISE,S.W. 1976 Mesozoic origin of holococcoliths. -Ann. Mtg. AAGP-SEPM, abstr., AAPG Bull., vol.60(4), pp.733-734.	abstr. syst. CRET.U. MORPH.
5	WINTER,A., REISS,Z. & LUZ,B. 1979 Distribution of living coccolithophore assemblages in the Gulf of Elat ('Aqaba). -Mar. Micropal., vol.4, pp.197-223, 5 pls., 6 figs., 3 tbs.	syst. RECENT Indian.Oc. ECOL.
6	WISE,S.W. & CONSTANS,R.E. 1976 Middle Eocene planktonic correlations: Northern Italy - Jamaica, B.W.I. -AAPG Bull., vol.60(9), p.1618.	abstr. strat. TERT.L. America.C. Europe.W.
7	WISE,S.W. & CONSTANS,R.E. 1976 Mid Eocene planctonic correlations Northern Italy - Jamaica, W.I. -Transa. Gulf Coast Ass. Geol. Soc., vol.26, 26th ann. Mtg., Shreveport, pp.144-155, 4 pls., 3 tbs.	strat.syst. TERT.L. America.C. Europe.W.
8	WORSLEY,T.R. 1979 Lower Cretaceous calcareous nannofossils from the Great Valley sequence of northern California: a preliminary study. -Newsl. Strat., vol.8(2), pp.124-132, 4 figs.	strat. CRET.L.M. America.N.
9	ZIMMERMANN,M.A., KÜBLER,B. et al. 1976 "Molasse d'eau douce inférieure" du plateau Suisse -subdivision par l'indice de détritisme -essai de datation par nannofossiles. -Bull. Centre Rech. Pau -SNPA, vol.10(2), pp.585-625, 3 pls., 8 figs., 7 tbs.	strat(syst) TERT. Europe.W.

B43 Ahmuellerella granulata (STOVER 1966) SHUMENKO 1976 non REINHARDT 1965; p.55 (ex Parhabdolithus). Illegitimate ICBN Art.64 — A44-1 *C-1

Ahmuellerella mirabilis (PERCH-NIELSEN 1968) SHUMENKO 1976; p.55 (ex Reinhardtites). — A44-1

Angulofenestrellithus numerosus (GORKA 1957) SHUMENKO 1976; p.52 (ex Discolithus). — A44-1

Biscutum paenepelagicum (STOVER 1966) SHUMENKO 1976; p.33 (ex Discorhabdus). — A44-1

Biscutum parvulum ROMEIN 1979; pp.96,97, pl.2, fig.1; Spain, L.Paleocene. — A42-5

Biscutum perforatum (SHUMENKO 1969) SHUMENKO 1976; p.33 (ex Discorhabdus). — A44-1

Biscutum spatiosum (SHUMENKO 1969) SHUMENKO 1976; p.33 (ex Discorhabdus). — A44-1

Biscutum? tenuiculum OKADA & THIERSTEIN 1979; pp.521,522, pl.9, fig.5; N.Atlantic, Danian (Paleocene) — A39-9 *C-5

Braarudosphaera alta ROMEIN 1979; p.94, pl.2, fig.3; Spain, L.Paleocene. — A42-5

Broinsonia clivosa (SHUMENKO 1969) SHUMENKO 1976; p.36 (ex Arkhangelskiella). — A44-1

Broinsonia erratica (STOVER 1966) SHUMENKO 1976; p.36 (ex Arkhangelskiella). — A44-1

Caneosphaera GAARDER & HEIMDAL 1977; p.64, type species: Syracosphaera halldalii GAARDER 1971. — A34-7

Caneosphaera halldalii (GAARDER 1971) GAARDER & HEIMDAL 1977; pp.64,66 (ex Syracosphaera). type species of Caneosphaera. — A34-7

Caneosphaera molischii (SHILLER 1925) GAARDER & HEIMDAL 1977; pp.66,68 (ex Syracosphaera). — A34-7

Chiastozygus anceps (GORKA 1957) SHUMENKO 1976; p.46 (ex Discolithus). — A44-1

Chiastozygus fessus (STOVER 1966) SHAFIK 1978 ex SHAFIK 1979; p.c-5 (ex Discolithus). — A43-9

Chiastozygus trabeculatus (GORKA 1957) SHUMENKO 1976; p.47 (ex Discolithus). — A44-1

B44 | Coccolithus andamanensis SINGH 1976; In: Singh,P. & Vimal, K.P.; p.31. Invalid ICBN Art.32. | A44-8 *C-2

Coccolithus fenestratus (DEFLANDRE & FERT 1954) WISE 1976; In: Wise,S.W. & Constans,R.E., p.145 (ex Discolithus). | A47-7

Corollithion transversum (LYUL'EVA 1969) SHUMENKO 1976; p.69 (ex Dictyolithus). | A44-1

Coronosphaera GAARDER & HEIMDAL 1977; pp.58,60. type species: Syracosphaera mediterranea LOHMANN 1902. | A34-7

Coronosphaera binodata (KAMPTNER 1927) GAARDER & HEIMDAL 1977; p.62 (ex Syracosphaera mediterranea var.). | A34-7

Coronosphaera maxima (HALLDAL & MARKALI 1955) GAARDER & HEIMDAL 1977; p.62 (ex Syracosphaera). | A34-7

Coronosphaera mediterranea (LOHMANN 1902) GAARDER & HEIMDAL pp.60,62 (ex Syracosphaera). type species of Coronosphaera. | A34-7

Crepidolithus cruciatus PERCH-NIELSEN 1979; p.124, pl.2, fig.12; Denmark, Danian (Paleocene). | A40-4

Crepidolithus dirimosus PERCH-NIELSEN 1979; p.124, pl.2, fig.16; Denmark, Danian (Paleocene). | A40-4

Cretarhabdus pchalekii (REINHARDT 1964) SHUMENKO 1976; p.58 (ex Cribrosphaerella). | A44-1

Cruciplacolithus cribellus (BRAMLETTE & SULLIVAN 1961) ROMEIN 1979; pp.103,104 (ex Coccolithites). | A42-5

Cruciplacolithus edwardsii ROMEIN 1979; p.101, pl.2, fig.7; Spain, L.Paleocene. | A42-5

Cruciplacolithus eodelus (BUKRY & PERCIVAL 1971) ROMEIN 1979; p.103 (ex Campylosphaera). | A42-5

Cruciplacolithus frequens (PERCH-NIELSEN 1977) ROMEIN 1979; p.103 (ex Chiasmolithus). | A42-5

Cruciplacolithus latipons ROMEIN 1979; p.102, pl.9, fig.7; Spain, Paleocene. | A42-5

Cyclagelosphaera alta PERCH-NIELSEN 1979; p.125, pl.3, fig.7; Denmark, Danian (Paleocene). | A40-4

Cycloplacolithella subpertusa (HAY & MOHLER 1967) BYSTRICKA 1976; pp.56,57 (ex Ericsonia). | A32-2

Diazomatolithus pulcher (SHUMENKO 1969) SHUMENKO 1976; p.34 (ex Cyclolithus). | A44-1

B45 Discoaster bramlettei (BUKRY & PERCIVAL 1971) ROMEIN 1979 non MARTINI 1959; pp.159,160 (ex Discoasteroides). Illegitimate ICBN Art.64. A42-5 *C-3

Discoaster tristellifer BUKRY 1976; p.499, pl.1, figs.1-7; Indian Ocean, L.Pliocene. A31-5

Discolithus neillensis SINGH 1976; In: Singh,P. & Vimal,K.P. p.31. Invalid ICBN Art.32. A44-8 *C-2

Discolithus pantii SINGH 1976; In: Singh,P. & Vimal,K.P. p.31. Invalid ICBN Art.32. A44-8 *C-2

Discorhabdus striatus MOSHKOVITZ & EHRLICH 1976; p.14, pl.7, figs.3,4; Israel, L.Jura. A38-5

Ericsonia eopelagica (BRAMLETTE & RIEDEL 1954) ROMEIN 1979; p.108 (ex Tremalithus). A42-5

Ericsonia formosa (KAMPTNER 1963) ROMEIN 1979; p.111 (ex Cyclococcolithus). A42-5

Ericsonia pacifica (BUKRY 1971) ROMEIN 1979; pp.110-111; (ex Striatococcolithus). A42-5

Ericsonia universa (WIND & WISE 1976) ROMEIN 1979; pp.109-110 (ex Heliolithus). A42-5

Ethmorhabdus asper (STRADNER 1963) SHUMENKO 1976; p.61 (ex Discolithus). A44-1

Fasciculithus bitectus ROMEIN 1979; pp.149-150, pl.9, fig.15; Israel, L.Paleocene. A42-5

Fasciculithus magnicordis ROMEIN 1979; p.149, pl.9, fig.12; Spain, L.Paleocene. A42-5

Heliolithus elegans (ROTH 1973) ROMEIN 1979; p.156 (ex Bomolithus). A42-5

Heliolithus megastypus (BRAMLETTE & SULLIVAN 1961) ROMEIN 1979; pp.157-158 (ex Discoasteroides). A42-5

Hexalithus magharensis MOSHKOVITZ & EHRLICH 1976; pp.16,17, pl.8, figs.14,15; Sinai, M.Jura. A38-5

Isocrystallithus VERBEEK 1976; pp.77,78. type species: Isocrystallithus compactus VERBEEK 1976. A46-6

Isocrystallithus compactus VERBEEK 1976; p.78, pl.2, fig.3; France, M.Cenomanian. type species of Isocrystallithus. A46-6

B46 Markalius apertus PERCH-NIELSEN 1979; p.128, pl.3, fig.16; Denmark, Danian (Paleocene). A40-4

Marthasterites tenuis SHUMENKO 1976; p.74, pl.28, fig.7; USSR, L.Maastrichtian. A44-1

Neocrepidolithus ROMEIN 1979; p.183. type species: Crepidolithus neocrassus PERCH-NIELSEN 1968. A42-5

Neocrepidolithus fossus (ROMEIN 1977) ROMEIN 1979; pp.183, 184 (ex Crepidolithus). A42-5

Neocrepidolithus neocrassus (PERCH-NIELSEN 1968) ROMEIN 1979; p.183 (ex Crepidolithus). type species of Neocrepidolithus. A42-5

Octolithus ROMEIN 1979; p.185. type species: Tetralithus multiplus PERCH-NIELSEN 1973. A42-5

Octolithus multiplus (PERCH-NIELSEN 1973) ROMEIN 1979; p.185 (ex Tetralithus). type species of Octolithus. A42-5

Oolithotus perplexus (BRAMLETTE & RIEDEL 1954) CONLEY & BURNS 1979; In: Conley,S.M., p.29; (ex Discoaster). A33-3

Parhabdolithus minimus (REINHARDT 1964) SHUMENKO 1976; p.53 (ex Kamptnerius). A44-1

Parhabdolithus neocrassus (PERCH-NIELSEN 1968) SHUMENKO 1976; p.53 (ex Crepidolithus). A44-1

Placozygus sigmoides (BRAMLETTE & SULLIVAN 1961) ROMEIN 1979; pp.117,118 (ex Zygodiscus). A42-5

Podorhabdus elegans SHUMENKO 1976; pp.59,60, pl.21, fig.6; USSR, L.Maastrichtian. A44-1

Podorhabdus noeliae (PERCH-NIELSEN 1968) SHUMENKO 1976; p.60 (ex Dodekapodorhabdus). A44-1

Podorhabdus roeglii (THIERSTEIN 1971) SHUMENKO 1976; p.60 (ex Bipodorhabdus). A44-1

Pontosphaera bicaveata (PERCH-NIELSEN 1967) ROMEIN 1979; p.179 (ex Discolithina). A42-5

Pontosphaera duocava (BRAMLETTE & SULLIVAN 1961) ROMEIN 1979; p.177 (ex Discolithus). A42-5

Pontosphaera exilis (BRAMLETTE & SULLIVAN 1961) ROMEIN 1979; p.179 (ex Discolithus). A42-5

Pontosphaera fimbriata (BRAMLETTE & SULLIVAN 1961) ROMEIN 1979; p.180 (ex Discolithus). A42-5

B47 Pontosphaera formosa (BUKRY & BRAMLETTE 1969) ROMEIN 1979; p.181 (ex Syracosphaera). A42-5

Pontosphaera obliquipons (DEFLANDRE 1954) ROMEIN 1979; p.180 (ex Discolithus). A42-5

Pontosphaera prava (LOCKER 1967) ROMEIN 1979; p.178 (ex Transversopontis). A42-5

Pontosphaera pulcheroides (SULLIVAN 1964) ROMEIN 1979; p.179 (ex Discolithus). A42-5

Pontosphaera pulchra (DEFLANDRE 1954) ROMEIN 1979; p.178 (ex Discolithus). A42-5

Pontosphaera rimosa (BRAMLETTE & SULLIVAN 1961) PERCH-NIELSEN ET AL. 1978; p.394 (ex Discolithus). A25-8

Pontosphaera scissura (PERCH-NIELSEN 1971) ROMEIN 1979; p.180 (ex Discolithina). A42-5

Pontosphaera versa (BRAMLETTE & SULLIVAN 1961) PERCH-NIELSEN ET AL. 1978; p.394 (ex Discolithus). A25-8

Pontosphaera versa (BRAMLETTE & SULLIVAN 1961) ROMEIN 1979; p.176 (ex Discolithus). A42-5
Combination had already been introduced .

Prediscosphaera intercisa (DEFLANDRE 1954) SHUMENKO 1976; p.62 (ex Rhabdolithus). A44-1

Prediscosphaera solida (SHUMENKO 1971) SHUMENKO 1976; p.62 (ex Deflandrius). A44-1

Prinsius petalosus (ELLIS & LOHMAN 1973) ROMEIN 1979; p.120 (ex Toweius). A42-5

Prinsius rosenkrantzii PERCH-NIELSEN 1979; pp.129,130, pl.4, fig.4; Denmark, Danian (Paleocene). A40-4 *C-5

Pseudotriquetrorhabdulus WISE 1976; In: Wise,S.W. & Constans,R.E., p.154. type species: Triquetrorhabdulus inversus BUKRY & BRAMLETTE 1969. A47-7

Pseudotriquetrorhabdulus inversus (BUKRY & BRAMLETTE 1969) WISE 1976; In: Wise,S.W. & Constans,R.E., p.154. type species of Pseudotriquetrorhabdulus. A47-7

Reinhardtites biperforatus (GARTNER 1968) SHAFIK 1978 ex SHAFIK 1979; p.C5 (ex Zygodiscus). A43-9

Reticulofenestra gelida (GEITZENAUER 1972) BACKMAN 1978; p.112 (ex Coccolithus). A29-2

B48 Reticulofenestra haqii BACKMAN 1978; pp.110,111, pl.1, figs.1-4; Spain, U.Miocene. A29-2

Rhomboaster bitrifida ROMEIN 1979; p.191, pl.7, fig.4; Spain, U.Paleocene. A42-5

Rhomboaster intermedia ROMEIN 1979; pp.190,191, pl.10, fig. 7; Spain, U.Paleocene. A42-5

Rhombozygus SHUMENKO 1976; p.51. type species: Zygolithus egregius SHUMENKO 1969. A44-1

Rhombozygus egregius (SHUMENKO 1969) SHUMENKO 1976; p.51 (ex Zygolithus). type species of Rhombozygus. A44-1

Rhombozygus elongatus (STOVER 1966) SHUMENKO 1976; p.51 (ex Parhabdolithus). A44-1

Rhombozygus parvus SHUMENKO 1976; p.51, pl.16, fig.8; USSR, Cretaceous. A44-1

Rhombozygus tarboulensis (SHAFIK & STRADNER 1971) SHUMENKO 1976; p.52 (ex Zygodiscus). A44-1

Rucinolithus stellatus (SHUMENKO 1969) SHUMENKO 1976; p.79 (ex Coccolithites). A44-1

Schizosphaerella astraea MOSHKOVITZ 1979; pp.458,459, pl.2, figs.1,2,4; England, L.Pliensbachian (Jura). A38-4

Sphenolithus verensis BACKMAN 1978; pp.111,112, pl.2, figs. 4-6; Spain, U.Miocene. A29-2

Stephanolithion achylosum (STOVER 1966) SHUMENKO 1976; p.66 (ex Chiphragmalithus). A44-1

Stephanolithion biarcus (BUKRY 1969) SHUMENKO 1976; p.66 (ex Cylindralithus). A44-1

Syracosphaera elatensis WINTER 1979; In: Winter,A., Reiss, Z. & Luz,B., pp.207,208, pl.3, fig.12; Gulf of Elat, Rec. A47-5

Tergestiella reinhardtii (PERCH-NIELSEN 1968) SHUMENKO 1976; p.27 (ex Markalius). A44-1

Tergestiella rotaclypeata (BUKRY 1969) SHUMENKO 1976; p.27 (ex Cyclagelosphaera). A44-1

Tetralithus kamptneri (BRAMLETTE & MARTINI 1964) VERBEEK 1976; p.146 (ex Ceratolithoides). A46-7

Thoracosphaera arabianensis DATTA & SINGH 1976; p.48, pl.3, figs.1,2; India, L.Pliocene. A33-5

Thoracosphaera tarapurensis DATTA & SINGH 1976; pp.48,49, pl.2, figs.9,10,12; India, L.Pliocene. A33-5

B49

Toweius gammation (BRAMLETTE & SULLIVAN 1961) ROMEIN 1979; p.126 (ex Coccolithites).	A42-5
Toweius magnicrassus (BUKRY 1971) ROMEIN 1979; p.126 (ex Coccolithus).	A42-5
Toweius pertusus (SULLIVAN 1965) ROMEIN 1979; pp.124,125 (ex Coccolithus).	A42-5
Toweius selandianus PERCH-NIELSEN 1979; p.132, pl.4, fig.20; Denmark, Selandian (Paleocene).	A40-4
Tribrachiatus nunnii (GARTNER 1971) ROMEIN 1979; p.194 (ex Marthasterites). Illegitimate ICBN Art.55.	A42-5 *C-4
Tribrachiatus spineus (SHAFIK & STRADNER 1971) ROMEIN 1979; p.193 (ex Marthasterites).	A42-5
Truncatoscaphus hexaporus MOSHKOVITZ & EHRLICH 1976; pp.8, 9, pl.1, fig.15; Israel, M.Jura.	A38-5
Truncatoscaphus octoporus MOSHKOVITZ & EHRLICH 1976; p.8, pl.1, fig.13; Israel, U.Jura.	A38-5
Watznaueria dentata (SHUMENKO 1969) SHUMENKO 1976; p.26 (ex Coccolithites).	A44-1
Watznaueria hillii (BLACK 1964) SHUMENKO 1976; p.26 (ex Favocentrum).	A44-1
Watznaueria praetexta (CARATINI 1963) SHUMENKO 1976; p.26 (ex Ellipticolithites).	A44-1
Zygodiscus chelmiensis (GORKA 1963) SHUMENKO 1976; p.42 (ex Zygolithus).	A44-1
Zygodiscus clausus ROMEIN 1979; pp.130,131, pl.10, fig.3; Spain, M.Paleocene.	A42-5
Zygodiscus inconditus (LYUL'EVA 1967) SHUMENKO 1976; p.43 (ex Zygrhablithus).	A44-1
Zygodiscus lobatulus (LYUL'EVA 1967) SHUMENKO 1976; p.44 (ex Tranolithus).	A44-1
Zygodiscus spissus (SHUMENKO 1969) SHUMENKO 1976; p.44 (ex Zygolithus).	A44-1
Zygodiscus stabilis (GORKA 1957) SHUMENKO 1976; p.44 (ex Discolithus).	A44-1
Zygodiscus variatus (CARATINI 1964) SHUMENKO 1976; p.45 (ex Discolithus).	A44-1

Species names in alphabethical order.

achylosum, Stephanolithion
alta, Braarudosphaera
alta, Cyclagelosphaera
anceps, Chiastozygus
andamanensis, Coccolithus *
apertus, Markalius
arabianensis, Thoracosphaera
asper, Ethmorhabdus
astrea, Schizosphaerella
biarcus, Stephanolithion
bicaveata, Pontosphaera
binodata, Coronosphaera
biperforatus, Reinhardtites
bitectus, Fasciculithus
bitrifida, Rhomboaster
bramlettei, Discoaster *
chelmiensis, Zygodiscus
clausus, Zygodiscus
clivosa, Broinsonia
compactus, Isocrystallithus
cribellus, Cruciplacolithus
cruciatus, Crepidolithus
dentata, Watznaueria
dirimosus, Crepidolithus
duocava, Pontosphaera
edwardsii, Cruciplacolithus
egregius, Rhombozygus
elatensis, Syracosphaera
elegans, Heliolithus
elegans, Podorhabdus
elongatus, Rhombozygus
eodelus, Cruciplacolithus
eopelagica, Ericsonia
erratica, Broinsonia
exilis, Pontosphaera
fenestratus, Coccolithus
fessus, Chiastozygus
fimbriata, Pontosphaera
formosa, Ericsonia
formosa, Pontosphaera
fossus, Neocrepidolithus
frequens, Cruciplacolithus
gammation,Toweius
gelida, Reticulofenestra
granulata, Ahmuellerella *
halldalii, Caneosphaera
haqii, Reticulofenestra
hexaporus, Truncatoscaphus
hillii, Watznaueria
inconditus, Zygodiscus
intercisa, Prediscosphaera
intermedia, Rhomboaster
inversus, Pseudotriquetrorhabdulus
kamptneri, Tetralithus
latipons, Cruciplacolithus
lobatulus, Zygodiscus
magharensis, Hexalithus
magnicordis, Fasciculithus
magnicrassus, Toweius
maxima, Coronosphaera
mediterranea, Coronosphaera
megastypus, Heliolithus
minimus, Parhabdolithus
mirabilis, Ahmuellerella
molischii, Caneosphaera
multiplus, Octolithus
neillensis, Discolithus *
neocrassus, Neocrepidolithus
neocrassus, Parhabdolithus
noeliae, Podorhabdus
numerosus, Angulofenestrellithus
nunnii, Tribrachiatus *
obliquipons, Pontosphaera
octoporus, Truncatoscaphus
pacifica, Ericsonia
paenepelagicum, Biscutum
pantii, Discolithus *
parvulum, Biscutum
parvus, Rhombozygus
pchalekii, Cretarhabdus
perforatum, Biscutum
perplexus, Oolithotus
petalosus, Prinsius
pertusus, Toweius
prava, Pontosphaera
praetexta, Watznaueria
pulcher, Diazomatolithus
pulcheroides, Pontosphaera
pulchra, Pontosphaera
reinhardtii, Tergestiella
rimosa, Pontosphaera
roeglii, Podorhabdus
rosenkrantzii, Prinsius
rotaclypeata, Tergestiella
scissura, Pontosphaera
selandianus, Toweius
sigmoides, Placozygus
solida, Prediscosphaera
spatiosum, Biscutum
spineus, Tribrachiatus
spissus, Zygodiscus
stabilis, Zygodiscus
stellatus, Rucinolithus
striatus, Discorhabdus

*: invalid

subpertusa, Cycloplacolithella
tarapurensis, Thoracosphaera
tarboulensis, Rhombozygus
tenuiculum, Biscutum?
tenuis, Marthasterites
trabeculatus, Chiastozygus
transversum, Corollithion
tristellifer, Discoaster
universa, Ericsonia
variatus, Zygodiscus
verensis, Sphenolithus
versa, Pontosphaera

New genus names:

Caneosphaera, Coronosphaera, Isocrystallithus, Neocrepidolithus, Octolithus, Pseudotriquetrorhabdulus, Rhombozygus.

+ + + +

5- Prinsius rosenkrantzii PERCH-NIELSEN 1979

According to K. Perch-Nielsen, this species is a junior synonum (by a few months) of Biscutum tenuiculum OKADA & THIERSTEIN 1979.

6- Specific epithets with the wrong termination are listed in the corrected version, in agreement with ICBN Arts. 32.4 and 73.10. Most mistakes are made against Rec.73C, like for instance 'noelii' instead of 'noeliae' or 'reinhardti' instead of 'reinhardtii'.

A specific epithet should agree gramatically with the generic name only if it is adjectival in form. In other words: if a specific epithet is a substantive (a noun), it can not change its termination. For instance: Micula murus (murus = wall), Reticulofenestra umbilicus (umbilicus = nave). For this reason a 'derivatio nominis' is most usefull, as very few people can be persuaded to use a Latin dictionary.

7- Helicopontosphaera inversa (A27-7) and Florisphaera profunda var. elongata (A27-8)

Both validations are invalid according to Art.45 of the new Botanical Code. The first part of this article is the same as it was:" The date of a name or of an epithet is that of its valid publication. When the various conditions for valid publication are not simultaneously fulfilled, the date is that on which the last is fulfilled." So the validations would have been correct according to this rule. But there is an addition in the new code:" A name published on or after 1 Jan. 1973 for which the variuous conditions for valid publication are not simultaneously fulfilled is not validly published unless a full and direct reference is given to the places where these requirements were previously fulfilled." Which means that the exact page should have been added in the same way as is required for the introduction of a new combination.

VALIDATION OF HELICOPONTOSPHAERA INVERSA (2)

by S. Gartner

It has been brought to my attention that the validation of Helicopontosphaera inversa GARTNER in the INA Newsletter vol. 1, p.C-2, does not fulfill the requirements of ICBN Art. 45. Therefore, the name is herein validated.

Helicopontosphaera inversa GARTNER
Description: Gartner 1977, p.23
Holotype : Gartner 1977, pl.1, figure 5a,b,c.

References:

Gartner,S., 1977; Calcareous nannofossil biostratigraphy and revised zonation of the Pleistocene.
-Marine Micropaleontology, vol.2, pp.1-25
Gartner,S., 1979; Validation of Helicopontosphaera inversa.
-INA Newsletter vol.1, p.C-2

++++++++++++++++++

Discoaster drieveri, nomen novum pro Discoaster bramlettei (BUKRY & PERCIVAL 1971) ROMEIN 1979 non MARTINI 1958.

By A.J.T. Romein

In my 1979 paper (pp.59,60), I transferred Discoasteroides bramlettei BUKRY & PERCIVAL 1971 to the genus Discoaster; Miss van Heck brought to my attention that I thus created a junior homonym (Discoaster bramlettei MARTINI, 1958). Therefore, Discoaster drieveri is hereby introduced as a nomen novum for this species.

References:

Bukry,D. & Percival,S.F., 1971; New Tertiary calcareous nannofossils.
-Tulane Studies in Geol. Pal., vol.8, pp.123-146
Martini,E., 1958; Discoasteriden und verwandte Formen im NW-deutschen Eozän (Coccolithophorida) 1.Taxionomische Untersuchungen.
-Senckenb. Leth., vol.39, pp.353-388.
Romein,A.J.T., 1979; Lineages in Early Paleogene calcareous nannoplankton.
-Utrecht Micropal. Bulletins, vol.22, pp.1-231.

SHORT NOTES

Information for contributors

General - Contributions dealing with every aspect of calcareous nannoplankton and written by members of the International Nannoplankton Association are considered for publication. They may consist of original observations, letters, such as requests, reactions on papers published in the INA Newsletter or elsewhere and their replies, or of any other written contribution concerning calcareous nannoplankton, not published elsewhere in the same form.

Number of pages - Manuscripts not exceeding four pages, text, illustrations and tables included, are accepted free of charge. Longer manuscripts are only accepted when the extra costs of reproduction are paid in advance.

Format - The size of the pages of the INA Newsletter is 29,6 X 21,0 cm (A4). A blank margin of at least 2,5 cm should border the upper, the left and the right side of each page. Along the lower side the blank margin should be 3,5 cm for adding page number etc.

Text - a: The manuscripts are reproduced in the INA Newsletter without being re-edited or re-typed by the Editorial Committee. Hence, the authors are entirely responsible for the contents and quality of their contributions.
b: The text of the manuscripts should be typed. Handwritten corrections or additions should be avoided. The authors are advised to use carbon tape for typing, in order to obtain sharp and black letters. Manuscripts of poor quality can be refused by the Editorial Committee.

Illustrations - In general line drawings, graphs and tables will be reproduced without loss of detail. Half-tone illustrations are included only when the author accepts considerable loss in quality. In case half-tone reproductions of good quality are desired, either the extra costs of printing should be paid in advance, or the author should deliver the required number of copies of the illustrations to the Editorial Committee for distribution with the INA Newsletter.

Reprints - Free copies of contributions to the INA Newsletter are not available, to keep the costs as low as possible. At their request contributors to the INA Newsletter will receive as many copies of their contributions as desired after payment of the actual costs of reproduction.

Copyright - All parts of the INA Newsletter are allowed to be reproduced for scientific purposes, provided that the source and authorship is clearly mentioned in case of non-private use.

Construction of the Paleontologic-Biostratigraphic Cretaceous File in the Federal Institute for Geosciences and Natural Resources, Hannover

P. ČEPEK, K. KÜHNE, R. WOLFART, M. ZÍKA

The large volume of fossiliferous core material of the Cretaceous System being accumulated by the Deep Sea Drilling Project and the great amount of information compiled by many different authors in the Initial Reports made it highly desirable to prepare a summary of the paleontological and biostratigraphical data in order to improve its accessibility for research and to allow the computer processing of the data. The data presented in the Cretaceous data file in Hannover covers all of the Cretaceous cores gathered in the oceans of the world from the DSDP-IPOD Project. It proved to be necessary to standardize the paleontological data from numerous authors. This difficult work has been done for calcareous nannoplankton, dinoflagellates (partly), radiolarians and diatoms. We are working on the foraminifera data. It is planned to enter Cretaceous continental data into the file, too; it then will be possible to correlate continental and oceanic data.

The information can be collected on so-called "OPSCAN sheets" (= form sheets for an OPSCAN reader) or on punch cards. This data is stored in the file PALBASE, generated and maintained by the data maintenance programs, is the starting point for a packet of evaluating and editing programs:

H1SEXT prints sample data (specified by punch cards) in word form, as many as necessary.

H1OUTP is the standard output program for PALBASE: it extracts all data for a site or fossil group in diagram form which makes it easy to recognize changes of biostratigraphical zones. It is possible to generate large diagrams by connecting several parts. The desired sites can be specified on punch cards. It is also possible to choose all sites of a fossil group or those situated within a specified rectangular area. At the end of the print output H1OUTP generates two line printer plots indicating the positions of all sites printed. The first plot represents the smallest rectangular area containing all printed sites. The second plot is a world map. This plot is then combined with a transparent foil showing the continental contours.

H1PULL can perform species retrievals from the data stored in PALBASE. It tests each sample for a specified species combination (logical term).
Example: 16 * 32 * 101 V 17 * -2
Meaning: all samples containing species 16, 32 and 101 and/or species 17 and not 2 shall be printed.

The output of H1PULL is also in diagram form. As in H1OUTP, geographical searching limits can be chosen. H1PULL produces two line printer plots, too. If a site contains a sample corresponding to the logical term, it will be represented by the character "+", otherwise "-".

H1BSTD prints out the names, sites, and samples in the file. The lists to be printed out can be specified; you can also decide whether the corresponding list will be alphabetically or numerically arranged. There are 6 categories of names stored in the file: locality, fossil group, species, observer, stratigraphic stages, and references. Finally, H1BSTD prints out a list of all sites stored in PALBASE and of the fossil groups these were examined for.

H1SED generates a stratigraphic profile for each site. This diagram contains a computed sedimentation rate for all stratigraphical stages identified in this site. (Fig. 2).

H1BGEO is a program for constructing diagrams of the stratigraphical and latitudinal distribution (including occurrence frequency) of a single species. (Fig. 1).

H1PUB provides the data stored in PALBASE in a form suitable for publication.

Any questions about the content of the Cretaceous data bank in Hannover or requests for data may be addressed to: Dr. Pavel ČEPEK, Federal Institute for Geosciences and Natural Resources, Postfach 510153, 3000 Hannover 51, F.R. Germany.



fig. 1


DEPTH IN METERS
MIO YEARS
10.00
28.00
46.00
64.00
82.00
100.00
118.00
136.00
154.00
172.00
190.00
SEDIMENTATION RATE FOR SITE 170 , FOSSIL GROUP 2

fig. 2

LIST OF MEMBERS

AGIP SPA
SGEL
20097 S. Donato Milanese
(MI) / Italy

Paloma Aguilar
c/Darro, 22
Madrid-2
España

Dr. J. Aubert
S.N.E.A. (P)
Centre Micoulau
Avenue du Président Angot
64000 Pau
France

M.P. Aubry
Woods Hole Oceanographic Institution
Woods Hole
02543 Massachussetts, U.S.A.

Dr. Maria Baldi-Beke
H-1145
Thokoly ut 116
Budapest
Hungary

Prof. Dr. Barbieri
Istituto Geologia Universitá
4, Via Kennedy
43100 Parma
Italy

Dr. J.E. Boudreaux
Texaco Inc.
P.O. Box 60252
New Orleans
Louisiana 70160, U.S.A.

Dr. J.L. Bowdler
Union Oil Co. of California
900 Executive Plaza West
4635 Southwest Freeway
Houston
Texas 77027, U.S.A.

Laurel M. Bybell
U.S. Geological Survey
970 National Center
Reston
Virginia 22092, U.S.A.

Dr. A.G. Carlos
Suite 408 Orchard Bldg.
1, Grange Road
Singapore 0923
Republic of Singapore

Dr. F. Cati
Istituto di Geologia
Via Zamboni n.67
40127 Bologna
Italy

Dr. P. Čepek
Bundesanstalt für Geowissenschaften
und Rohstoffe
Stilleweg 2
D-3000 Hannover
Bundes Republik Deutschland

Dr. J. Charollais
Lab. Géologie et Paléontologie
13 Rue Maraîchters
CH-1211 Genève
Switzerland

Dr. Min-Pen Chen
Institute of Oceanography
National Taiwan University
Taipei, Taiwan 107
Republic of China

Dr. Wen-Rong Chi
51 Wei-Kung Road
Miaoli, Taiwan 360
Republic of China

Dr. J.A. Crux
Postgraduate Unit of Micropaleontology
University College London
Gower Street
London, WCIE 6BT
Great Britain

CTS Library
Chevron USA Inc.
575 Market St., Rm 1230
San Francisco
California 94105, U.S.A.

Dr. P.H. Doeven
Atlantic Geoscience Centre
Bedford Institute of Oceanography
P.O. Box 1006
Dartmouth, N.S.
B2Y 4A2 Canada

Drs. B.W.M. Driever
Instituut voor Aardwetenschappen
Budapestlaan 4
P.O. Box 80.021
3508 TA Utrecht
The Netherlands

Niedersächsische Staats- und
Universitäts-Bibliothek
Zugang II A -ZSS
Prinzenstr. 1
3400 Göttingen
Bundes Republik Deutschland

Dr. Shiro Nishida
Department of Earth Sciences
Nara University of Education
Nara
630 Japan

Dr. D. Noël
Laboratoire de Géologie du
Mus. Nat. d'Hist. Nat.
43, Rue de Buffon
75005 Paris
France

Dr. Hisatake Okada
Dept. of Earth Sciences
Faculty of Science
Yamagata University
Yamagata 990
Japan

Dr. K.Perch-Nielsen
Eidg. Technische Hochschule
Zürich - Geologisches Institut
Sonneggstrasse 5
CH 8097 Zürich
Switzerland

S.F. Percival Jr.
1810 White Dove St.
Dallas
Texas 75224, U.S.A.

Phillips Petroleum Company
c/o Dr. D.W. Dalrymple
242 FPB
Bartlesville
Oklahoma 74004, U.S.A.

Dr. R. Pignatelli Garcia
Avda. Mediterráneo, 52
Madrid - 30
Spain

Dr. Camilla Pirini Radrizzani
Istituto di Paleontologia della
Universita' di Milano
Piazza Gorini 15
Milano
Italy

Dr. M. Polugar
Chevron Overseas Petroleum Inc.
575 Market Street
San Francisco
California 94105, U.S.A.

Peter L. Price
c/o Mines Administration Pty Ltd
G. P.O. Box 880
Brisbane 4001
Queensland, Australia

B. Prins
Shell Internat. Petrol. Mij.
c/o K.S.E.P.L.
Volmerlaan 6
Rijswijk
The Netherlands

Dr. Franca Proto Decima
Istituto di Geologia dell' Università
Via Giotto 1
35100 Padova
Italy

Dr. A. Pujos-Lamy
Laboratoire de Géologie et
d'Océanographie
Université de Bordeaux 1
Avenue des Facultés
33045 Talence
France

J. Rade
The Rade Stratigraphic Laboratory
Box 5440 C, G.P.O.
Melbourne
Victoria 3001, Australia

Dr. Isabella Raffi
Istituto di Geologia dell'
Universita' di Parma
Via Kennedy 4
43100 Parma
Italy

Dr. David D. Reimers
Tenneco Oil Co.
P.O. Box 51345 OCS
Lafayette
Louisiana 70505, U.S.A.

Dr. Domenico Rio
Istituto di Geologia
Via Kennedy 4
43100 Parma
Italy

Dr. L.E. Stover
EXXON Production Research Company
P.O. Box 2189
Houston
Texas 77001, U.S.A.

Dr. Herbert Stradner
Bibliothek der Geologische Bundesanst.
III, Rasumofskygasse 23
A-1081 Wien
Austria

J. van Stuijvenberg
Institut de Géologie
Pérolles
1700 Fribourg
Switzerland

Dr. Y. Takayanagi
Institute of Geology and Paleontology
Tohoku University
Sendai
980 Japan

Dr. Rosanna Taylor
Dept. of Geology (Micropaleontology)
University College
Gower Street
London WC1E 6BT
United Kingdom

Drs. S. Theodoridis
Instituut voor Aardwetenschappen
Budapestlaan 4
P.O. Box 80.021
3508 TA Utrecht
The Netherlands

Dr, H.R. Thierstein
Scripps Inst. of Oceanography
P.O. Box 1529
La Jolla
California 92093, U.S.A.

Universitätsbibliothek der
Technische Universität Berlin
Strasse des 17. Juni, 135
1 Berlin 12
Bundes Republik Deutschland

Universitetet I Oslo
Institutt for Marinbiologi og Limnol.
Avd. Marin Botanik
Postboks 1069
Blindern - Oslo - 3
Norway

University of California
Geology - Geophysics Library
405 Hilgard Avenue
Los Angeles
California 90024, U.S.A.

James W. Valentine
Dept. Geological Sciences
University of California
Santa Barbara
California 93106, U.S.A.

Dr. W.P.S. Ventress
c/o Chevron U.S.A. Inc.
1111 Tulane Ave
New Orleans
Louisiana 70112, U.S.A.

Dr. J.W. Verbeek
Geological Survey of the Netherlands
P.O. Box 157
Spaarne 17
2000 AD Haarlem
The Netherlands

Dr. J.G. Verdenius
Institutt for Kontinental
Sokkelundersøkelser
Hakon Magnussons gt. 1B
7000 Trondheim
Norway

VU Aardwetenschappen
Paleontologie - Stratigrafie Vakgroep
Postbus 7161
1007 MC Amsterdam
The Netherlands

David Brice Waghorn
c/o Geology Dept.
Victoria University of Wellington
Private Bag
Wellington
New Zealand

A.D. Warren
c/o Anderson, Warren & Assoc., Inc.
11526 Sorrento Valley Rd, Suite G
San Diego
California 92121, U.S.A.

Dr. Kuo-Yen Wei
Dept. of Geology
National Taiwan University
245, Choushan Road
Taipei, Taiwan
Republic of China

Dr. J.A. Wilcoxon
Suite 408, Orchard Bldg.
1, Grange Road
Singapore 0923
Republic of Singapore

Dr. F.H. Wind
c/o Texaco, Inc.
Box 3756
Los Angeles
California 90051, U.S.A.

Dr. B. Young
Atlantic Richfield Co.
P.O. Box 1346
Houston
Texas 77001, U.S.A.

F. Zweili
Raster, Geol. Inst.
Univ.
Sahlistr. 6
3012 Bern
Switzerland